

the door

collection

2012

bringing homes to life



Joinery
Products

BRINGING HOMES TO **LIFE**



*Oak Verona
(see page 21)*

There's no doubt about it first impressions count, and if you want to create the right impression, there's no better way than with one of our beautiful timber doors.

XL Joinery have been setting trends by designing and supplying the finest internal and external doors for over 20 years. Quite simply – we know how to bring homes to life.

But that's just part of the story; with over three million pounds worth of stock, our own delivery fleet, stringent quality control, dedicated after-sales service and competitive prices we aim to be a partner you can trust. We like to think of it as delivering excellence inside and out. For our customers that means the right products when and where you need them.

What's inside /

04 New for 2012

Internal Doors

- 06 What makes a great internal door
- 08 Walnut
- 10 Pre-Finished Oak
- 14 Oak
- 32 White Primed
- 38 Hardwood
- 39 Vertical/Horizontal Grain Pine
- 40 Clear Pine
- 43 Knotty Pine
- 44 White Moulded
- 46 Pine Easi-Frame
- 48 Oak Easi-Frame
- 50 Oak Freefold
- 52 White Freefold
- 54 Hardwood and Oak Door Pairs
- 56 Pair Maker

External Doors

- 58 What makes a great external door
- 60 La Porte Vista Folding Doors
- 62 La Porte Vista French Doors
- 66 Advantages of an External Timber Doorset
- 67 How to install an External Timber Doorset
- 68 High Performance Doorsets
- 70 Residential Doorsets
- 72 Composite Doorsets
- 74 Triple Glazed
- 76 Oak
- 80 Hardwood Double Glazed
- 82 Hardwood Single and Unglazed
- 84 Pine and Pine Gates

Other Products and Services

- 86 Pre-Finishing
- 87 Performance and Specification
- 88 Accessories
- 90 PVC and Plastics

New For 2012

At XL we continuously bring new products to market to ensure we are offering the very latest door trends within our range. 2012 is no exception with numerous new ranges being added to our door collection.

Internal Oak Doors



Pesaro
(see page 21)



Salerno
(see page 21)



Treviso
(see page 21)



**Novara and
Fire Door**
(see page 27)



Ravenna
(see page 19)



DX
(see page 31)



**Palermo with
Clear Glass**
(see page 15)



**Pre-Finished
Worcester**
(see page 11)



**Pattern 10
Bi-Fold with
Clear Glass**
(see page 23)



**Malton Bi-Fold
with Clear
Bevelled Glass**
(see page 29)



**Worcester
Door Pairs**
(see page 55)

White Primed Doors



**Pattern 10
with Clear Glass**
(see page 33)



**Victorian Shaker
and Fire Door**
(see page 35)



Suffolk
(see page 35)



**Worcester
and Fire Door**
(see page 37)



Monza
(see page 37)



Verona
(see page 37)

Fire Doors



Pre-Finished Victorian with non Raised Mouldings

(see page 13)



Verona

(see page 21)



Worcester with Clear Glass

(see page 27)



Pattern 10 with Clear Glass

(see page 23)



Euston

(see page 31)

Other Internal Doors



Pre-Finished Victorian 4 Panel

(see page 44)



Victorian with Clear Glass

(see page 45)

Oak Easi-Frame

(see page 48)




La Porte Vista

Pre-Finished (see page 60)



La Porte French Doors

Pre-Finished (see page 62)



External Doors



Stable 9 Light

(see page 79)





Pattern 10 White

(see page 85)

White Freefold

(see page 52)



Toughened Glass
for enhanced safety

Sourced from
sustainably
managed forests

High quality
factory finished
option available

Engineered construction
for greater stability
and performance

Complementary
door linings,
architrave and
skirting sets in
Oak and Walnut

Selected natural
wood veneers reflect
the natural beauty
of timber (e.g. Oak,
Hardwood, Walnut
and Pine)

Range of
sizes and styles
to meet all
customer needs

WHAT MAKES A GREAT INTERNAL DOOR?

Having beautiful internal doors is considered a given amongst most discerning home owners. They are the finishing touch that when combined with complementary hardware and architrave can turn an ordinary interior into an extraordinary one.

Fashions change and staying one step ahead of the game is what our designers excel at. However, one thing remains constant – the craftsmanship that goes into our doors that ensures they are built to last and will look like new for years to come.

Not all doors are created equal and often it's difficult to choose between similar products. With this in mind you'll find a selection of features highlighted opposite. But if there's something more specific you need to know, please ask, we'd be delighted to help.

- | | |
|-----------------------------------|--------------------------------|
| 08 Walnut | 44 White Moulded |
| 10 Pre-Finished Oak | 46 Pine Easi-Frame |
| 14 Oak | 48 Oak Easi-Frame |
| 32 White Primed | 50 Oak Freefold |
| 38 Hardwood | 52 White Freefold |
| 39 Vertical/Horizontal Grain Pine | 54 Hardwood and Oak Door Pairs |
| 40 Clear Pine | 56 Pair Maker |
| 43 Knotty Pine | |

All of the doors described as Walnut, Oak or Hardwood within this catalogue are of engineered construction with high quality Walnut, Oak or Hardwood veneer.

Internal Doors

Walnut



Pattern 10



Pattern 10

Code	Size
PFWP1024	1981 x 610 x 35mm (24")
PFWP1027	1981 x 686 x 35mm (27")
PFWP1030	1981 x 762 x 35mm (30")
PFWP1032	2032 x 813 x 35mm (32")
PFWP1033	1981 x 838 x 35mm (33")



Pattern 10 with Obscure Glass

Code	Size
PFGWP1024	1981 x 610 x 35mm (24")
PFGWP1027	1981 x 686 x 35mm (27")
PFGWP1030	1981 x 762 x 35mm (30")
PFGWP1032	2032 x 813 x 35mm (32")
PFGWP1033	1981 x 838 x 35mm (33")



Shaker 4 Panel

Code	Size
PFWSHA24	1981 x 610 x 35mm (24")
PFWSHA27	1981 x 686 x 35mm (27")
PFWSHA30	1981 x 762 x 35mm (30")
PFWSHA32	2032 x 813 x 35mm (32")
PFWSHA33	1981 x 838 x 35mm (33")



Shaker with Obscure Glass

Code	Size
PFGWSHA24	1981 x 610 x 35mm (24")
PFGWSHA27	1981 x 686 x 35mm (27")
PFGWSHA30	1981 x 762 x 35mm (30")
PFGWSHA32	2032 x 813 x 35mm (32")
PFGWSHA33	1981 x 838 x 35mm (33")



Suffolk

Code	Size
PFWWSUF24	1981 x 610 x 35mm (24")
PFWWSUF27	1981 x 686 x 35mm (27")
PFWWSUF30	1981 x 762 x 35mm (30")
PFWWSUF32	2032 x 813 x 35mm (32")
PFWWSUF33	1981 x 838 x 35mm (33")



Suffolk with Clear Bevelled Glass

Code	Size
PFGWSUF27	1981 x 686 x 35mm (27")
PFGWSUF30	1981 x 762 x 35mm (30")
PFGWSUF32	2032 x 813 x 35mm (32")
PFGWSUF33	1981 x 838 x 35mm (33")



Natural variation in the colour or texture of wood are not to be considered as defects.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors

Pre-Finished Oak



Shaker 4 Panel



Shaker 4 Panel

Code	Size
PFINTOSHA4P24	1981 x 610 x 35mm (24")
PFINTOSHA4P27	1981 x 686 x 35mm (27")
PFINTOSHA4P30	1981 x 762 x 35mm (30")
PFINTOSHA4P32	2032 x 813 x 35mm (32")
PFINTOSHA4P33	1981 x 838 x 35mm (33")



Shaker with Obscure Glass

Code	Size
PFGOSHA4L24	1981 x 610 x 35mm (24")
PFGOSHA4L27	1981 x 686 x 35mm (27")
PFGOSHA4L30	1981 x 762 x 35mm (30")
PFGOSHA4L32	2032 x 813 x 35mm (32")
PFGOSHA4L33	1981 x 838 x 35mm (33")



Pattern 10

Code	Size
PFINTOSHAP1024	1981 x 610 x 35mm (24")
PFINTOSHAP1027	1981 x 686 x 35mm (27")
PFINTOSHAP1030	1981 x 762 x 35mm (30")
PFINTOSHAP1032	2032 x 813 x 35mm (32")
PFINTOSHAP1033	1981 x 838 x 35mm (33")



Pattern 10 with Obscure Glass

Code	Size
PFGOSHAP1024	1981 x 610 x 35mm (24")
PFGOSHAP1027	1981 x 686 x 35mm (27")
PFGOSHAP1030	1981 x 762 x 35mm (30")
PFGOSHAP1032	2032 x 813 x 35mm (32")
PFGOSHAP1033	1981 x 838 x 35mm (33")



NEW Pattern 10 with Clear Glass

Code	Size
PFGOSHAP1024C	1981 x 610 x 35mm (24")
PFGOSHAP1027C	1981 x 686 x 35mm (27")
PFGOSHAP1030C	1981 x 762 x 35mm (30")
PFGOSHAP1032C	2032 x 813 x 35mm (32")
PFGOSHAP1033C	1981 x 838 x 35mm (33")



NEW Worcester 3 Panel

Code	Size
PFINTOWOR27	1981 x 686 x 35mm (27")
PFINTOWOR30	1981 x 762 x 35mm (30")
PFINTOWOR33	1981 x 838 x 35mm (33")



NEW Worcester with Clear Glass

Code	Size
PFGOWOR27	1981 x 686 x 35mm (27")
PFGOWOR30	1981 x 762 x 35mm (30")

Natural variation in the colour or texture of wood are not to be considered as defects.

All internal Oak doors are FSC certified with the exception of Fire Doors.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors

Pre-Finished Oak



Palermo with
Obscure Glass



Palermo

Code	Size
PFINTOPAL24	1981 x 610 x 35mm (24")
PFINTOPAL27	1981 x 686 x 35mm (27")
PFINTOPAL30	1981 x 762 x 35mm (30")
PFINTOPAL33	1981 x 838 x 35mm (33")
PFINTOPAL626	2040 x 626 x 40mm
PFINTOPAL726	2040 x 726 x 40mm
PFINTOPAL826	2040 x 826 x 40mm



Palermo Fire Door

Code	Size
PFINTOPAL27-FD	1981 x 686 x 44mm (27")
PFINTOPAL30-FD	1981 x 762 x 44mm (30")
PFINTOPAL33-FD	1981 x 838 x 44mm (33")
PFINTOPAL726-FD	2040 x 726 x 44mm
PFINTOPAL826-FD	2040 x 826 x 44mm



Palermo with Obscure Glass

Code	Size
PFGOPAL27	1981 x 686 x 35mm (27")
PFGOPAL30	1981 x 762 x 35mm (30")
PFGOPAL33	1981 x 838 x 35mm (33")
PFGOPAL726	2040 x 726 x 40mm
PFGOPAL826	2040 x 826 x 40mm



Suffolk

Code	Size
PFINTOSUF24	1981 x 610 x 35mm (24")
PFINTOSUF27	1981 x 686 x 35mm (27")
PFINTOSUF30	1981 x 762 x 35mm (30")
PFINTOSUF32	2032 x 813 x 35mm (32")
PFINTOSUF33	1981 x 838 x 35mm (33")
PFINTOSUF626	2040 x 626 x 40mm
PFINTOSUF726	2040 x 726 x 40mm
PFINTOSUF826	2040 x 826 x 40mm



Suffolk Fire Door

Code	Size
PFINTOSUF27-FD	1981 x 686 x 44mm (27")
PFINTOSUF30-FD	1981 x 762 x 44mm (30")
PFINTOSUF33-FD	1981 x 838 x 44mm (33")



Suffolk with Clear Bevelled Glass

Code	Size
PFGOSUF6L27	1981 x 686 x 35mm (27")
PFGOSUF6L30	1981 x 762 x 35mm (30")
PFGOSUF6L32	2032 x 813 x 35mm (32")
PFGOSUF6L33	1981 x 838 x 35mm (33")



Victorian 4 Panel with Raised Mouldings/Fire Door

Code	Size
PFINTOVIC24	1981 x 610 x 35mm (24")
PFINTOVIC27	1981 x 686 x 35mm (27")
PFINTOVIC30	1981 x 762 x 35mm (30")
PFINTOVIC33	1981 x 838 x 35mm (33")

Fire door options

PFINTOVIC30-FD	1981 x 762 x 44mm (30")
PFINTOVIC33-FD	1981 x 838 x 44mm (33")



Malton with Clear Bevelled Glass and non Raised Mouldings

Code	Size
PFGOMAL27	1981 x 686 x 35mm (27")
PFGOMAL30	1981 x 762 x 35mm (30")
PFGOMAL33	1981 x 838 x 35mm (33")

Products highlighted in red indicate new sizes available.

Natural variation in the colour or texture of wood are not to be considered as defects.

All internal Oak doors are FSC certified with the exception of Fire Doors.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors

Oak



Palermo



Palermo

Code	Size
INTOPAL21	1981 x 533 x 35mm (21")
INTOPAL24	1981 x 610 x 35mm (24")
INTOPAL27	1981 x 686 x 35mm (27")
INTOPAL30	1981 x 762 x 35mm (30")
INTOPAL32	2032 x 813 x 35mm (32")
INTOPAL33	1981 x 838 x 35mm (33")
INTOPAL626	2040 x 626 x 40mm
INTOPAL726	2040 x 726 x 40mm
INTOPAL826	2040 x 826 x 40mm



Palermo Fire Door

Code	Size
INTOPAL24-FD	1981 x 610 x 44mm (24")
INTOPAL27-FD	1981 x 686 x 44mm (27")
INTOPAL30-FD	1981 x 762 x 44mm (30")
INTOPAL32-FD	2032 x 813 x 44mm (32")
INTOPAL33-FD	1981 x 838 x 44mm (33")
INTOPAL726-FD	2040 x 726 x 44mm
INTOPAL826-FD	2040 x 826 x 44mm



Palermo with Obscure Glass

Code	Size
GOPAL24	1981 x 610 x 35mm (24")
GOPAL27	1981 x 686 x 35mm (27")
GOPAL30	1981 x 762 x 35mm (30")
GOPAL32	2032 x 813 x 35mm (32")
GOPAL33	1981 x 838 x 35mm (33")
GOPAL726	2040 x 726 x 40mm
GOPAL826	2040 x 826 x 40mm



Palermo Fire Door with Obscure Glass

Code	Size
GOPAL30-FD	1981 x 762 x 44mm (30")
GOPAL33-FD	1981 x 838 x 44mm (33")



NEW Palermo with Clear Glass

Code	Size
GOPAL1L27	1981 x 686 x 35mm (27")
GOPAL1L30	1981 x 762 x 35mm (30")
GOPAL1L33	1981 x 838 x 35mm (33")



Victorian Shaker 4 Panel

Code	Size
INTOVICSHA27	1981 x 686 x 35mm (27")
INTOVICSHA30	1981 x 762 x 35mm (30")
INTOVICSHA33	1981 x 838 x 35mm (33")



Victorian Shaker 4 Panel Fire Door

Code	Size
INTOVICSHA30-FD	1981 x 762 x 44mm (30")
INTOVICSHA33-FD	1981 x 838 x 44mm (33")



Malton Shaker with Clear Glass

Code	Size
GOMALSHA27	1981 x 686 x 35mm (27")
GOMALSHA30	1981 x 762 x 35mm (30")
GOMALSHA33	1981 x 838 x 35mm (33")

Products highlighted in red indicate new sizes available.

All internal Oak doors are FSC certified with the exception of Fire Doors.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors

Oak

Tivoli with
Obscure Glass





Tivoli

Code	Size
INTOTIV27	1981 x 686 x 35mm (27")
INTOTIV30	1981 x 762 x 35mm (30")
INTOTIV33	1981 x 838 x 35mm (33")



Tivoli with Obscure Glass

Code	Size
GOTIV27	1981 x 686 x 35mm (27")
GOTIV30	1981 x 762 x 35mm (30")
GOTIV33	1981 x 838 x 35mm (33")



Shaker 4 Panel

Code	Size
INTOSHA4P21	1981 x 533 x 35mm (21")
INTOSHA4P24	1981 x 610 x 35mm (24")
INTOSHA4P27	1981 x 686 x 35mm (27")
INTOSHA4P30	1981 x 762 x 35mm (30")
INTOSHA4P32	2032 x 813 x 35mm (32")
INTOSHA4P33	1981 x 838 x 35mm (33")
INTOSHA4P626	2040 x 626 x 40mm
INTOSHA4P726	2040 x 726 x 40mm
INTOSHA4P826	2040 x 826 x 40mm



Shaker 4 Panel Fire Door

Code	Size
INTOSHA4P27-FD	1981 x 686 x 44mm (27")
INTOSHA4P30-FD	1981 x 762 x 44mm (30")
INTOSHA4P32-FD	2032 x 813 x 44mm (32")
INTOSHA4P33-FD	1981 x 838 x 44mm (33")



Shaker with Obscure Glass

Code	Size
GOSHA4L24	1981 x 610 x 35mm (24")
GOSHA4L27	1981 x 686 x 35mm (27")
GOSHA4L30	1981 x 762 x 35mm (30")
GOSHA4L32	2032 x 813 x 35mm (32")
GOSHA4L33	1981 x 838 x 35mm (33")
GOSHA4L726	2040 x 726 x 40mm
GOSHA4L826	2040 x 826 x 40mm



Shaker Fire Door with Obscure Glass

Code	Size
GOSHA4L30-FD	1981 x 762 x 44mm (30")
GOSHA4L32-FD	2032 x 813 x 44mm (32")
GOSHA4L33-FD	1981 x 838 x 44mm (33")



Shaker with Clear Glass

Code	Size
GOSHA4L12C	1981 x 305 x 35mm (12")
GOSHA4L24C	1981 x 610 x 35mm (24")
GOSHA4L27C	1981 x 686 x 35mm (27")
GOSHA4L30C	1981 x 762 x 35mm (30")
GOSHA4L32C	2032 x 813 x 35mm (32")
GOSHA4L33C	1981 x 838 x 35mm (33")



Shaker Bi-Fold

Code	To suit door opening size
OBFSHA30	1981 x 762 x 35mm (30")

Products highlighted in red indicate new sizes available.

All internal Oak doors are FSC certified with the exception of Fire Doors.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors

Oak



MONZA





Monza

Code	Size
INTOMON24	1981 x 610 x 35mm (24")
INTOMON27	1981 x 686 x 35mm (27")
INTOMON30	1981 x 762 x 35mm (30")
INTOMON32	2032 x 813 x 35mm (32")
INTOMON33	1981 x 838 x 35mm (33")



Monza Fire Door

Code	Size
INTOMON27-FD	1981 x 686 x 44mm (27")
INTOMON30-FD	1981 x 762 x 44mm (30")
INTOMON33-FD	1981 x 838 x 44mm (33")



Messina with Obscure Glass

Code	Size
GOMON27	1981 x 686 x 35mm (27")
GOMON30	1981 x 762 x 35mm (30")
GOMON33	1981 x 838 x 35mm (33")



Messina

Code	Size
INTOMES24	1981 x 610 x 35mm (24")
INTOMES27	1981 x 686 x 35mm (27")
INTOMES30	1981 x 762 x 35mm (30")
INTOMES32	2032 x 813 x 35mm (32")
INTOMES33	1981 x 838 x 35mm (33")
INTOMES626	2040 x 626 x 40mm
INTOMES726	2040 x 726 x 40mm
INTOMES826	2040 x 826 x 40mm



Messina Fire Door

Code	Size
INTOMES27-FD	1981 x 686 x 44mm (27")
INTOMES30-FD	1981 x 762 x 44mm (30")
INTOMES33-FD	1981 x 838 x 44mm (33")



Messina with Obscure Glass

Code	Size
GOMES24	1981 x 610 x 35mm (24")
GOMES27	1981 x 686 x 35mm (27")
GOMES30	1981 x 762 x 35mm (30")
GOMES32	2032 x 813 x 35mm (32")
GOMES33	1981 x 838 x 35mm (33")
GOMES726	2040 x 726 x 40mm
GOMES826	2040 x 826 x 40mm



NEW Ravenna (See front cover)

Code	Size
INTORAV27	1981 x 686 x 35mm (27")
INTORAV30	1981 x 762 x 35mm (30")
INTORAV33	1981 x 838 x 35mm (33")



NEW Ravenna with Clear Glass

Code	Size
GORAV27	1981 x 686 x 35mm (27")
GORAV30	1981 x 762 x 35mm (30")
GORAV33	1981 x 838 x 35mm (33")

Products highlighted in red indicate new sizes available.

All internal Oak doors are FSC certified with the exception of Fire Doors.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors

Oak



*Pesaro with
Clear Glass*


NEW **Pesaro**

Code	Size
INTOPES27	1981 x 686 x 35mm (27")
INTOPES30	1981 x 762 x 35mm (30")
INTOPES33	1981 x 838 x 35mm (33")


NEW **Pesaro with Clear Glass**

Code	Size
GOPES27	1981 x 686 x 35mm (27")
GOPES30	1981 x 762 x 35mm (30")
GOPES33	1981 x 838 x 35mm (33")


NEW **Salerno**

Code	Size
INTOSAL27	1981 x 686 x 35mm (27")
INTOSAL30	1981 x 762 x 35mm (30")
INTOSAL33	1981 x 838 x 35mm (33")


NEW **Salerno with Clear Glass**

Code	Size
GOSAL27	1981 x 686 x 35mm (27")
GOSAL30	1981 x 762 x 35mm (30")
GOSAL33	1981 x 838 x 35mm (33")


NEW **Treviso**

Code	Size
INTOTRE27	1981 x 686 x 35mm (27")
INTOTRE30	1981 x 762 x 35mm (30")
INTOTRE33	1981 x 838 x 35mm (33")


NEW **Treviso with Clear Glass**

Code	Size
GOTRE27	1981 x 686 x 35mm (27")
GOTRE30	1981 x 762 x 35mm (30")
GOTRE33	1981 x 838 x 35mm (33")


**Verona/
Verona Fire Door**

Code	Size
INTOVER24	1981 x 610 x 35mm (24")
INTOVER27	1981 x 686 x 35mm (27")
INTOVER30	1981 x 762 x 35mm (30")
INTOVER32	2032 x 813 x 35mm (32")
INTOVER33	1981 x 838 x 35mm (33")
INTOVER626	2040 x 626 x 40mm
INTOVER726	2040 x 726 x 40mm
INTOVER826	2040 x 826 x 40mm

Fire door options

INTOVER30-FD	1981 x 762 x 44mm (30")
INTOVER33-FD	1981 x 838 x 44mm (33")


Verona with Obscure Glass

Code	Size
GOVER24	1981 x 610 x 35mm (24")
GOVER27	1981 x 686 x 35mm (27")
GOVER30	1981 x 762 x 35mm (30")
GOVER32	2032 x 813 x 35mm (32")
GOVER33	1981 x 838 x 35mm (33")
GOVER726	2040 x 726 x 40mm
GOVER826	2040 x 826 x 40mm

Products highlighted in red indicate new sizes available.

All internal Oak doors are FSC certified with the exception of Fire Doors.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors

Oak

*Pattern 10
with Obscure Glass*





Pattern 10

Code	Size
INTOSHAP1021	1981 x 533 x 35mm (21")
INTOSHAP1024	1981 x 610 x 35mm (24")
INTOSHAP1027	1981 x 686 x 35mm (27")
INTOSHAP1030	1981 x 762 x 35mm (30")
INTOSHAP1032	2032 x 813 x 35mm (32")
INTOSHAP1033	1981 x 838 x 35mm (33")
INTOSHAP10626	2040 x 626 x 40mm
INTOSHAP10726	2040 x 726 x 40mm
INTOSHAP10826	2040 x 826 x 40mm



Pattern 10 Fire Door

Code	Size
INTOSHAP1027-FD	1981 x 686 x 44mm (27")
INTOSHAP1030-FD	1981 x 762 x 44mm (30")
INTOSHAP1032-FD	2032 x 813 x 44mm (32")
INTOSHAP1033-FD	1981 x 838 x 44mm (33")



Pattern 10 with Obscure Glass

Code	Size
GOSHAP1024	1981 x 610 x 35mm (24")
GOSHAP1027	1981 x 686 x 35mm (27")
GOSHAP1030	1981 x 762 x 35mm (30")
GOSHAP1032	2032 x 813 x 35mm (32")
GOSHAP1033	1981 x 838 x 35mm (33")
GOSHAP10726	2040 x 726 x 40mm
GOSHAP10826	2040 x 826 x 40mm



Pattern 10 with Clear Glass

Code	Size
GOSHAP1012C	1981 x 305 x 35mm (12")
GOSHAP1024C	1981 x 610 x 35mm (24")
GOSHAP1027C	1981 x 686 x 35mm (27")
GOSHAP1030C	1981 x 762 x 35mm (30")
GOSHAP1032C	2032 x 813 x 35mm (32")
GOSHAP1033C	1981 x 838 x 35mm (33")
GOSHAP10726C	2040 x 726 x 40mm
GOSHAP10826C	2040 x 826 x 40mm



NEW Pattern 10 Fire Door with Clear Glass

Code	Size
GOSHAP1030C-FD	1981 x 762 x 44mm (30")
GOSHAP1033C-FD	1981 x 838 x 44mm (33")




Pattern 10 Bi-Fold

Code	To suit door opening size
OBFP1027	1981 x 686 x 35mm (27")
OBFP1030	1981 x 762 x 35mm (30")



NEW Pattern 10 Bi-Fold with Clear Glass

Code	To suit door opening size
GOBFP1030	1981 x 762 x 35mm (30")



Park Lane with Clear Bevelled Glass and Raised Mouldings

Code	Size
GOPAR27RM	1981 x 686 x 35mm (27")
GOPAR30RM	1981 x 762 x 35mm (30")
GOPAR32RM	2032 x 813 x 35mm (32")
GOPAR33RM	1981 x 838 x 35mm (33")

Products highlighted in red indicate new sizes available.

All internal Oak doors are FSC certified with the exception of Fire Doors.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors

Oak



Suffolk





Suffolk

Code	Size
INTOSUF21	1981 x 533 x 35mm (21")
INTOSUF24	1981 x 610 x 35mm (24")
INTOSUF27	1981 x 686 x 35mm (27")
INTOSUF30	1981 x 762 x 35mm (30")
INTOSUF32	2032 x 813 x 35mm (32")
INTOSUF33	1981 x 838 x 35mm (33")
INTOSUF526	2040 x 526 x 40mm
INTOSUF626	2040 x 626 x 40mm
INTOSUF726	2040 x 726 x 40mm
INTOSUF826	2040 x 826 x 40mm



Suffolk Fire Door

Code	Size
INTOSUF24-FD	1981 x 610 x 44mm (24")
INTOSUF27-FD	1981 x 686 x 44mm (27")
INTOSUF30-FD	1981 x 762 x 44mm (30")
INTOSUF32-FD	2032 x 813 x 44mm (32")
INTOSUF33-FD	1981 x 838 x 44mm (33")
INTOSUF726-FD	2040 x 726 x 44mm
INTOSUF826-FD	2040 x 826 x 44mm



Suffolk with Clear Bevelled Glass

Code	Size
GOSUF6L27	1981 x 686 x 35mm (27")
GOSUF6L30	1981 x 762 x 35mm (30")
GOSUF6L32	2032 x 813 x 35mm (32")
GOSUF6L33	1981 x 838 x 35mm (33")



Suffolk with Obscure Glass

Code	Size
GOSUFC4L27	1981 x 686 x 35mm (27")
GOSUFC4L30	1981 x 762 x 35mm (30")
GOSUFC4L33	1981 x 838 x 35mm (33")
GOSUFC4L726	2040 x 726 x 40mm
GOSUFC4L826	2040 x 826 x 40mm



FL&B

Code	Size
OFLB27	1981 x 686 x 35mm (27")
OFLB30	1981 x 762 x 35mm (30")
OFLB33	1981 x 838 x 35mm (33")



Louis with Raised Mouldings

Code	Size
INTOLOU24RM	1981 x 610 x 35mm (24")
INTOLOU27RM	1981 x 686 x 35mm (27")
INTOLOU30RM	1981 x 762 x 35mm (30")
INTOLOU32RM	2032 x 813 x 35mm (32")
INTOLOU33RM	1981 x 838 x 35mm (33")
INTOLOU626RM	2040 x 626 x 40mm
INTOLOU726RM	2040 x 726 x 40mm
INTOLOU826RM	2040 x 826 x 40mm



Louis Fire Door with Raised Mouldings

Code	Size
INTOLOU27RM-FD	1981 x 686 x 44mm (27")
INTOLOU30RM-FD	1981 x 762 x 44mm (30")
INTOLOU32RM-FD	2032 x 813 x 44mm (32")
INTOLOU33RM-FD	1981 x 838 x 44mm (33")
INTOLOU726RM-FD	2040 x 726 x 44mm
INTOLOU826RM-FD	2040 x 826 x 44mm



Riviera with Clear Bevelled Glass and Raised Mouldings

Code	Size
GORIV24RM	1981 x 610 x 35mm (24")
GORIV27RM	1981 x 686 x 35mm (27")
GORIV30RM	1981 x 762 x 35mm (30")
GORIV32RM	2032 x 813 x 35mm (32")
GORIV33RM	1981 x 838 x 35mm (33")
GORIV726RM	2040 x 726 x 40mm
GORIV826RM	2040 x 826 x 40mm

All internal Oak doors are FSC certified with the exception of Fire Doors.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors

Oak



Worcester with
Clear Glass





Worcester 3 Panel

Code	Size
INTOWOR24	1981 x 610 x 35mm (24")
INTOWOR27	1981 x 686 x 35mm (27")
INTOWOR30	1981 x 762 x 35mm (30")
INTOWOR32	2032 x 813 x 35mm (32")
INTOWOR33	1981 x 838 x 35mm (33")
INTOWOR626	2040 x 626 x 40mm
INTOWOR726	2040 x 726 x 40mm
INTOWOR826	2040 x 826 x 40mm



Worcester 3 Panel Fire Door

Code	Size
INTOWOR27-FD	1981 x 686 x 44mm (27")
INTOWOR30-FD	1981 x 762 x 44mm (30")
INTOWOR32-FD	2032 x 813 x 44mm (32")
INTOWOR33-FD	1981 x 838 x 44mm (33")



Worcester with Clear Glass

Code	Size
GOWOR24	1981 x 610 x 35mm (24")
GOWOR27	1981 x 686 x 35mm (27")
GOWOR30	1981 x 762 x 35mm (30")
GOWOR32	2032 x 813 x 35mm (32")
GOWOR33	1981 x 838 x 35mm (33")
GOWOR726	2040 x 726 x 40mm
GOWOR826	2040 x 826 x 40mm



NEW Worcester Fire Door with Clear Glass

Code	Size
GOWOR30-FD	1981 x 762 x 44mm (30")
GOWOR33-FD	1981 x 838 x 44mm (33")



NEW Novara

Code	Size
INTONOV27	1981 x 686 x 35mm (27")
INTONOV30	1981 x 762 x 35mm (30")
INTONOV33	1981 x 838 x 35mm (33")



NEW Novara Fire Door

Code	Size
INTONOV30-FD	1981 x 762 x 44mm (30")
INTONOV33-FD	1981 x 838 x 44mm (33")



NEW Novara with Clear Glass

Code	Size
GONOV27	1981 x 686 x 35mm (27")
GONOV30	1981 x 762 x 35mm (30")
GONOV33	1981 x 838 x 35mm (33")



SA77 with Clear Bevelled Glass

Code	Size
GOSA27BV	1981 x 686 x 35mm (27")
GOSA30BV	1981 x 762 x 35mm (30")
GOSA33BV	1981 x 838 x 35mm (33")

Products highlighted in red indicate new sizes available.

All internal Oak doors are FSC certified with the exception of Fire Doors.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors

Oak



Victorian 4 Panel
With non Raised
Mouldings

*2 Panel Configuration.



Victorian 4 Panel with non Raised Mouldings

Code	Size
INTOVIC21*	1981 x 533 x 35mm (21")
INTOVIC24	1981 x 610 x 35mm (24")
INTOVIC27	1981 x 686 x 35mm (27")
INTOVIC30	1981 x 762 x 35mm (30")
INTOVIC32	2032 x 813 x 35mm (32")
INTOVIC33	1981 x 838 x 35mm (33")
INTOVIC626	2040 x 626 x 40mm
INTOVIC726	2040 x 726 x 40mm
INTOVIC826	2040 x 826 x 40mm



Victorian 4 Panel Fire Door with non Raised Mouldings

Code	Size
INTOVIC27-FD	1981 x 686 x 44mm (27")
INTOVIC30-FD	1981 x 762 x 44mm (30")
INTOVIC32-FD	2032 x 813 x 44mm (32")
INTOVIC33-FD	1981 x 838 x 44mm (33")
INTOVIC726-FD	2040 x 726 x 44mm
INTOVIC826-FD	2040 x 826 x 44mm



Malton with Clear Bevelled Glass and non Raised Mouldings

Code	Size
GOMAL24	1981 x 610 x 35mm (24")
GOMAL27	1981 x 686 x 35mm (27")
GOMAL30	1981 x 762 x 35mm (30")
GOMAL32	2032 x 813 x 35mm (32")
GOMAL33	1981 x 838 x 35mm (33")
GOMAL726	2040 x 726 x 40mm
GOMAL826	2040 x 826 x 40mm



Malton Fire Door with Clear Glass and non Raised Mouldings

Code	Size
GOMAL30-FD	1981 x 762 x 44mm (30")
GOMAL32-FD	2032 x 813 x 44mm (32")
GOMAL33-FD	1981 x 838 x 44mm (33")



NEW Malton Bi-Fold with Clear Bevelled Glass

Code	To suit door opening size
GOBF4P30	1981 x 762 x 35mm (30")

Victorian 4 Panel Bi-Fold

Code	To suit door opening size
OBF4P27	1981 x 686 x 35mm (27")
OBF4P30	1981 x 762 x 35mm (30")



Victorian 4 Panel with Raised Mouldings

Code	Size
INTOVIC21RM*	1981 x 533 x 35mm (21")
INTOVIC24RM	1981 x 610 x 35mm (24")
INTOVIC27RM	1981 x 686 x 35mm (27")
INTOVIC30RM	1981 x 762 x 35mm (30")
INTOVIC32RM	2032 x 813 x 35mm (32")
INTOVIC33RM	1981 x 838 x 35mm (33")
INTOVIC726RM	2040 x 726 x 40mm
INTOVIC826RM	2040 x 826 x 40mm



Victorian 4 Panel Fire Door with Raised Mouldings

Code	Size
INTOVIC24RM-FD	1981 x 610 x 44mm (24")
INTOVIC27RM-FD	1981 x 686 x 44mm (27")
INTOVIC30RM-FD	1981 x 762 x 44mm (30")
INTOVIC32RM-FD	2032 x 813 x 44mm (32")
INTOVIC33RM-FD	1981 x 838 x 44mm (33")



Malton with Clear Bevelled Glass and Raised Mouldings

Code	Size
GOMAL24RM	1981 x 610 x 35mm (24")
GOMAL27RM	1981 x 686 x 35mm (27")
GOMAL30RM	1981 x 762 x 35mm (30")
GOMAL32RM	2032 x 813 x 35mm (32")
GOMAL33RM	1981 x 838 x 35mm (33")
GOMAL726RM	2040 x 726 x 40mm
GOMAL826RM	2040 x 826 x 40mm

Products highlighted in red indicate new sizes available.

All internal Oak doors are FSC certified with the exception of Fire Doors.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors

Oak



*Colonial 6 Panel with
non Raised Mouldings*



*3 Panel Configuration.



Colonial 6 Panel with non Raised Mouldings

Code	Size
INTOCOL24	1981 x 610 x 35mm (24")
INTOCOL27	1981 x 686 x 35mm (27")
INTOCOL30	1981 x 762 x 35mm (30")
INTOCOL32	2032 x 813 x 35mm (32")
INTOCOL33	1981 x 838 x 35mm (33")



Colonial 6 Panel with Raised Mouldings

Code	Size
INTOCOL21RM*	1981 x 533 x 35mm (21")
INTOCOL24RM	1981 x 610 x 35mm (24")
INTOCOL27RM	1981 x 686 x 35mm (27")
INTOCOL30RM	1981 x 762 x 35mm (30")
INTOCOL32RM	2032 x 813 x 35mm (32")
INTOCOL33RM	1981 x 838 x 35mm (33")
INTOCOL726RM	2040 x 726 x 40mm
INTOCOL826RM	2040 x 826 x 40mm



Colonial 6 Panel Fire Door with Raised Mouldings

Code	Size
INTOCOL24RM-FD	1981 x 610 x 44mm (24")
INTOCOL27RM-FD	1981 x 686 x 44mm (27")
INTOCOL30RM-FD	1981 x 762 x 44mm (30")
INTOCOL32RM-FD	2032 x 813 x 44mm (32")
INTOCOL33RM-FD	1981 x 838 x 44mm (33")



Euston

Code	Size
INTOEUS24	1981 x 610 x 35mm (24")
INTOEUS27	1981 x 686 x 35mm (27")
INTOEUS30	1981 x 762 x 35mm (30")
INTOEUS32	2032 x 813 x 35mm (32")
INTOEUS33	1981 x 838 x 35mm (33")



NEW Euston Fire Door

Code	Size
INTOEUS30-FD	1981 x 762 x 44mm (30")
INTOEUS33-FD	1981 x 838 x 44mm (33")



Whitechapel with Clear Bevelled Glass

Code	Size
GOWHI24	1981 x 610 x 35mm (24")
GOWHI27	1981 x 686 x 35mm (27")
GOWHI30	1981 x 762 x 35mm (30")
GOWHI32	2032 x 813 x 35mm (32")
GOWHI33	1981 x 838 x 35mm (33")



NEW DX

Code	Size
INTODX27	1981 x 686 x 35mm (27")
INTODX30	1981 x 762 x 35mm (30")
INTODX33	1981 x 838 x 35mm (33")



NEW DX with Obscure Glass

Code	Size
GODX27	1981 x 686 x 35mm (27")
GODX30	1981 x 762 x 35mm (30")
GODX33	1981 x 838 x 35mm (33")

All internal Oak doors are FSC certified with the exception of Fire Doors.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors White Primed



Palermo



Palermo

Code	Size
WPPAL24	1981 x 610 x 35mm (24")
WPPAL27	1981 x 686 x 35mm (27")
WPPAL30	1981 x 762 x 35mm (30")
WPPAL33	1981 x 838 x 35mm (33")
WPPAL626	2040 x 626 x 40mm
WPPAL726	2040 x 726 x 40mm
WPPAL826	2040 x 826 x 40mm



Palermo Fire Door

Code	Size
WPPAL27-FD	1981 x 686 x 44mm (27")
WPPAL30-FD	1981 x 762 x 44mm (30")
WPPAL33-FD	1981 x 838 x 44mm (33")



Palermo with Obscure Glass

Code	Size
GWPPAL27	1981 x 686 x 35mm (27")
GWPPAL30	1981 x 762 x 35mm (30")
GWPPAL33	1981 x 838 x 35mm (33")
GWPPAL726	2040 x 726 x 40mm
GWPPAL826	2040 x 826 x 40mm



Pattern 10

Code	Size
WPP1024	1981 x 610 x 35mm (24")
WPP1027	1981 x 686 x 35mm (27")
WPP1030	1981 x 762 x 35mm (30")
WPP1033	1981 x 838 x 35mm (33")



Pattern 10 Fire Door

Code	Size
WPP1027-FD	1981 x 686 x 44mm (27")
WPP1030-FD	1981 x 762 x 44mm (30")
WPP1033-FD	1981 x 838 x 44mm (33")



Pattern 10 with Obscure Glass

Code	Size
GWPP1027	1981 x 686 x 35mm (27")
GWPP1030	1981 x 762 x 35mm (30")
GWPP1033	1981 x 838 x 35mm (33")



NEW Pattern 10 with Clear Glass

Code	Size
GWPP1024C	1981 x 610 x 35mm (24")
GWPP1027C	1981 x 686 x 35mm (27")
GWPP1030C	1981 x 762 x 35mm (30")
GWPP1033C	1981 x 838 x 35mm (33")

Our White Primed doors
are double coated and
ready for final finishing.

Products highlighted in red indicate new sizes available.

All White Primed doors are FSC certified with the exception of Fire Doors.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors White Primed



Suffolk



Shaker 4 Panel

Code	Size
WPSHA4P24	1981 x 610 x 35mm (24")
WPSHA4P27	1981 x 686 x 35mm (27")
WPSHA4P30	1981 x 762 x 35mm (30")
WPSHA4P33	1981 x 838 x 35mm (33")
WPSHA4P626	2040 x 626 x 40mm
WPSHA4P726	2040 x 726 x 40mm
WPSHA4P826	2040 x 826 x 40mm



NEW Shaker 4 Panel Fire Door

Code	Size
WPSHA4P30-FD	1981 x 762 x 44mm (30")
WPSHA4P33-FD	1981 x 838 x 44mm (33")



Shaker with Clear Glass

Code	Size
GWPSHA4L24	1981 x 610 x 35mm (24")
GWPSHA4L27	1981 x 686 x 35mm (27")
GWPSHA4L30	1981 x 762 x 35mm (30")
GWPSHA4L33	1981 x 838 x 35mm (33")
GWPSHA4L726	2040 x 726 x 40mm
GWPSHA4L826	2040 x 826 x 40mm



NEW Victorian Shaker 4 Panel

Code	Size
WPVICSHA27	1981 x 686 x 35mm (27")
WPVICSHA30	1981 x 762 x 35mm (30")
WPVICSHA33	1981 x 838 x 35mm (33")



NEW Victorian Shaker 4 Panel Fire Door

Code	Size
WPVICSHA30-FD	1981 x 762 x 44mm (30")
WPVICSHA33-FD	1981 x 838 x 44mm (33")



NEW Malton Shaker with Clear Glass

Code	Size
GWPMALSHA27	1981 x 686 x 35mm (27")
GWPMALSHA30	1981 x 762 x 35mm (30")
GWPMALSHA33	1981 x 838 x 35mm (33")



NEW Suffolk

Code	Size
WPSUF27	1981 x 686 x 35mm (27")
WPSUF30	1981 x 762 x 35mm (30")
WPSUF33	1981 x 838 x 35mm (33")



NEW Suffolk with Clear Glass

Code	Size
GWPSUF1L27	1981 x 686 x 35mm (27")
GWPSUF1L30	1981 x 762 x 35mm (30")
GWPSUF1L33	1981 x 838 x 35mm (33")

Products highlighted in red indicate new sizes available.

All White Primed doors are FSC certified with the exception of Fire Doors.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors White Primed

Monza with Obscure Glass
using the White Pair Maker




**NEW Worcester
3 Panel**

Code	Size
WPWOR27	1981 x 686 x 35mm (27")
WPWOR30	1981 x 762 x 35mm (30")
WPWOR33	1981 x 838 x 35mm (33")


**NEW Worcester
3 Panel Fire Door**

Code	Size
WPWOR30-FD	1981 x 762 x 44mm (30")
WPWOR33-FD	1981 x 838 x 44mm (33")


**NEW Worcester
with Clear Glass**

Code	Size
GWPWOR24	1981 x 610 x 35mm (24")
GWPWOR27	1981 x 686 x 35mm (27")
GWPWOR30	1981 x 762 x 35mm (30")
GWPWOR33	1981 x 838 x 35mm (33")


NEW Monza

Code	Size
WPMON27	1981 x 686 x 35mm (27")
WPMON30	1981 x 762 x 35mm (30")
WPMON33	1981 x 838 x 35mm (33")


**NEW Monza
with Obscure Glass**

Code	Size
GWPMON30	1981 x 762 x 35mm (30")


NEW Verona

Code	Size
WPVER27	1981 x 686 x 35mm (27")
WPVER30	1981 x 762 x 35mm (30")
WPVER33	1981 x 838 x 35mm (33")


**NEW Verona
with Clear Glass**

Code	Size
GWPVER27	1981 x 686 x 35mm (27")
GWPVER30	1981 x 762 x 35mm (30")
GWPVER33	1981 x 838 x 35mm (33")

**NEW White Pair Maker
(See page 56)**

Code	Size
WHITEPM	To suit 78" high doors only

All White Primed doors are FSC certified with the exception of Fire Doors. In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors Hardwood



Colonial 6 panel

Code	Size
INTCOL6P24	1981 x 610 x 35mm (24")
INTCOL6P27	1981 x 686 x 35mm (27")
INTCOL6P28	1981 x 711 x 35mm (28")
INTCOL6P30	1981 x 762 x 35mm (30")
INTCOL6P32	2032 x 813 x 35mm (32")
INTCOL6P33	1981 x 838 x 35mm (33")
INTCOL6P626	2040 x 626 x 40mm
INTCOL6P726	2040 x 726 x 40mm
INTCOL6P826	2040 x 826 x 40mm



Victorian 4 Panel

Code	Size
INTCOL4P24	1981 x 610 x 35mm (24")
INTCOL4P27	1981 x 686 x 35mm (27")
INTCOL4P30	1981 x 762 x 35mm (30")
INTCOL4P32	2032 x 813 x 35mm (32")
INTCOL4P33	1981 x 838 x 35mm (33")
INTCOL4P626	2040 x 626 x 40mm
INTCOL4P726	2040 x 726 x 40mm
INTCOL4P826	2040 x 826 x 40mm



Malton Unglazed

Code	Size
INTMAL27	1981 x 686 x 35mm (27")
INTMAL30	1981 x 762 x 35mm (30")
INTMAL32	2032 x 813 x 35mm (32")
INTMAL33	1981 x 838 x 35mm (33")



Malton with Burns Glass

Code	Size
GMAL27B	1981 x 686 x 35mm (27")
GMAL30B	1981 x 762 x 35mm (30")
GMAL32B	2032 x 813 x 35mm (32")
GMAL33B	1981 x 838 x 35mm (33")



Louis

Code	Size
LOU24	1981 x 610 x 35mm (24")
LOU27	1981 x 686 x 35mm (27")
LOU30	1981 x 762 x 35mm (30")
LOU32	2032 x 813 x 35mm (32")
LOU33	1981 x 838 x 35mm (33")
LOU626	2040 x 626 x 40mm
LOU726	2040 x 726 x 40mm
LOU826	2040 x 826 x 40mm



Riviera with Clear Bevelled Glass

Code	Size
GRIV27	1981 x 686 x 35mm (27")
GRIV30	1981 x 762 x 35mm (30")
GRIV32	2032 x 813 x 35mm (32")
GRIV33	1981 x 838 x 35mm (33")
GRIV726	2040 x 726 x 40mm
GRIV826	2040 x 826 x 40mm



SA77 with Clear Bevelled Glass

Code	Size
GSA24	1981 x 610 x 35mm (24")
GSA27	1981 x 686 x 35mm (27")
GSA28	1981 x 711 x 35mm (28")
GSA30	1981 x 762 x 35mm (30")
GSA32	2032 x 813 x 35mm (32")
GSA33	1981 x 838 x 35mm (33")
GSA726	2040 x 726 x 40mm
GSA826	2040 x 826 x 40mm



Park Lane with Clear Bevelled Glass

Code	Size
GPAR27	1981 x 686 x 35mm (27")
GPAR30	1981 x 762 x 35mm (30")
GPAR32	2032 x 813 x 35mm (32")
GPAR33	1981 x 838 x 35mm (33")

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors

Vertical/Horizontal Grain Pine



Palermo

Code	Size
CPPAL27	1981 x 686 x 35mm (27")
CPPAL30	1981 x 762 x 35mm (30")
CPPAL33	1981 x 838 x 35mm (33")



Palermo with Obscure Glass

Code	Size
GCPPAL27	1981 x 686 x 35mm (27")
GCPPAL30	1981 x 762 x 35mm (30")
GCPPAL33	1981 x 838 x 35mm (33")



Edwardian 4 Panel

Code	Size
VGEDW4P24	1981 x 610 x 35mm (24")
VGEDW4P27	1981 x 686 x 35mm (27")
VGEDW4P28	1981 x 711 x 35mm (28")
VGEDW4P30	1981 x 762 x 35mm (30")
VGEDW4P32	2032 x 813 x 35mm (32")
VGEDW4P33	1981 x 838 x 35mm (33")



Edwardian with Clear Bevelled Glass

Code	Size
GVGEDW27	1981 x 686 x 35mm (27")
GVGEDW30	1981 x 762 x 35mm (30")
GVGEDW32	2032 x 813 x 35mm (32")
GVGEDW33	1981 x 838 x 35mm (33")



Vine DX

Code	Size
VGDx4P27	1981 x 686 x 35mm (27")
VGDx4P28	1981 x 711 x 35mm (28")
VGDx4P30	1981 x 762 x 35mm (30")
VGDx4P32	2032 x 813 x 35mm (32")
VGDx4P33	1981 x 838 x 35mm (33")



Vine DX with Obscure Glass

Code	Size
GVGDx27	1981 x 686 x 35mm (27")
GVGDx30	1981 x 762 x 35mm (30")
GVGDx32	2032 x 813 x 35mm (32")
GVGDx33	1981 x 838 x 35mm (33")

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors
Clear Pine



Victorian
4 Panel

*2 Panel Configuration.
**10 Light.



Victorian 4 Panel

Code	Size
CPIN4P21M*	1981 x 533 x 35mm (21")
CPIN4P24M	1981 x 610 x 35mm (24")
CPIN4P27M	1981 x 686 x 35mm (27")
CPIN4P28M	1981 x 711 x 35mm (28")
CPIN4P30M	1981 x 762 x 35mm (30")
CPIN4P32M	2032 x 813 x 35mm (32")
CPIN4P33M	1981 x 838 x 35mm (33")
CPIN4P626M	2040 x 626 x 40mm
CPIN4P726M	2040 x 726 x 40mm
CPIN4P826M	2040 x 826 x 40mm



Victorian 4 Panel Fire Door

Code	Size
CPIN4P27-FD	1981 x 686 x 44mm (27")
CPIN4P30-FD	1981 x 762 x 44mm (30")
CPIN4P32-FD	2032 x 813 x 44mm (32")
CPIN4P33-FD	1981 x 838 x 44mm (33")



Victorian 4 Panel Bi-Fold

Code	To suit door opening size
CPBF4P27	1981 x 686 x 35mm (27")
CPBF4P30	1981 x 762 x 35mm (30")



Victorian Unglazed/ Victorian with Clear Glass

Code	Size
CPVIC27	1981 x 686 x 35mm (27")
CPVIC30	1981 x 762 x 35mm (30")
CPVIC32	2032 x 813 x 35mm (32")
CPVIC33	1981 x 838 x 35mm (33")

Clear Glass options

GCPVIC27	1981 x 686 x 35mm (27")
GCPVIC30	1981 x 762 x 35mm (30")
GCPVIC32	2032 x 813 x 35mm (32")
GCPVIC33	1981 x 838 x 35mm (33")



Victorian with Campion Glass

Code	Size
GCPVICC24	1981 x 610 x 35mm (24")
GCPVICC27	1981 x 686 x 35mm (27")
GCPVICC30	1981 x 762 x 35mm (30")
GCPVICC32	2032 x 813 x 35mm (32")
GCPVICC33	1981 x 838 x 35mm (33")
GCPVICC726	2040 x 726 x 40mm
GCPVICC826	2040 x 826 x 40mm



Victorian Bi-Fold with Campion Glass

Code	To suit door opening size
GCPBFC27	1981 x 686 x 35mm (27")
GCPBFC30	1981 x 762 x 35mm (30")



SA77 with Clear Glass

Code	Size
GCPSA24**	1981 x 610 x 35mm (24")
GCPSA27	1981 x 686 x 35mm (27")
GCPSA30	1981 x 762 x 35mm (30")
GCPSA32	2032 x 813 x 35mm (32")
GCPSA33	1981 x 838 x 35mm (33")
GCPSA726	2040 x 726 x 40mm
GCPSA826	2040 x 826 x 40mm



Cottage with Clear Glass

Code	Size
GCPCOT27	1981 x 686 x 35mm (27")
GCPCOT30	1981 x 762 x 35mm (30")
GCPCOT32	2032 x 813 x 35mm (32")
GCPCOT33	1981 x 838 x 35mm (33")
GCPCOT726	2040 x 726 x 40mm
GCPCOT826	2040 x 826 x 40mm

All Clear Pine doors are FSC certified with the exception of Fire Doors.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors

Clear Pine

*3 Panel Configuration.



Colonial 6 Panel

Code	Size
CPIN6P21*	1981 x 533 x 35mm (21")
CPIN6P24	1981 x 610 x 35mm (24")
CPIN6P27	1981 x 686 x 35mm (27")
CPIN6P28	1981 x 711 x 35mm (28")
CPIN6P30	1981 x 762 x 35mm (30")
CPIN6P32	2032 x 813 x 35mm (32")
CPIN6P33	1981 x 838 x 35mm (33")
CPIN6P626	2040 x 626 x 40mm
CPIN6P726	2040 x 726 x 40mm
CPIN6P826	2040 x 826 x 40mm



Colonial 6 Panel Fire Door

Code	Size
CPIN6P27-FD	1981 x 686 x 44mm (27")
CPIN6P30-FD	1981 x 762 x 44mm (30")
CPIN6P33-FD	1981 x 838 x 44mm (33")



Shaker 4 Panel

Code	Size
CPSHA4P27	1981 x 686 x 35mm (27")
CPSHA4P30	1981 x 762 x 35mm (30")
CPSHA4P32	2032 x 813 x 35mm (32")
CPSHA4P33	1981 x 838 x 35mm (33")
CPSHA4P726	2040 x 726 x 40mm
CPSHA4P826	2040 x 826 x 40mm




Shaker with Obscure Glass

Code	Size
GCPSHA27	1981 x 686 x 35mm (27")
GCPSHA30	1981 x 762 x 35mm (30")
GCPSHA32	2032 x 813 x 35mm (32")
GCPSHA33	1981 x 838 x 35mm (33")
GCPSHA726	2040 x 726 x 40mm
GCPSHA826	2040 x 826 x 40mm



Louis

Code	Size
CPLOU27M	1981 x 686 x 35mm (27")
CPLOU30M	1981 x 762 x 35mm (30")
CPLOU32M	2032 x 813 x 35mm (32")
CPLOU33M	1981 x 838 x 35mm (33")
CPLOU626M	2040 x 626 x 40mm
CPLOU726M	2040 x 726 x 40mm
CPLOU826M	2040 x 826 x 40mm



Riviera with Clear Glass

Code	Size
GCPRIV27	1981 x 686 x 35mm (27")
GCPRIV30	1981 x 762 x 35mm (30")
GCPRIV32	2032 x 813 x 35mm (32")
GCPRIV33	1981 x 838 x 35mm (33")
GCPRIV726	2040 x 726 x 40mm
GCPRIV826	2040 x 826 x 40mm



Rio

Code	Size
CPRIO27	1981 x 686 x 35mm (27")
CPRIO30	1981 x 762 x 35mm (30")
CPRIO32	2032 x 813 x 35mm (32")
CPRIO33	1981 x 838 x 35mm (33")



Rio with Crystal Rose Glass

Code	Size
GCPRIO27FG	1981 x 686 x 35mm (27")
GCPRIO30FG	1981 x 762 x 35mm (30")
GCPRIO32FG	2032 x 813 x 35mm (32")
GCPRIO33FG	1981 x 838 x 35mm (33")

All Clear Pine doors are FSC certified with the exception of Fire Doors.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.

Internal Doors

Knotty Pine

*2 Panel Configuration.

**3 Panel Configuration.



Victorian 4 Panel

Code	Size
KPIN4P21M*	1981 x 533 x 35mm (21")
KPIN4P24M	1981 x 610 x 35mm (24")
KPIN4P27M	1981 x 686 x 35mm (27")
KPIN4P28M	1981 x 711 x 35mm (28")
KPIN4P30M	1981 x 762 x 35mm (30")
KPIN4P32M	2032 x 813 x 35mm (32")
KPIN4P33M	1981 x 838 x 35mm (33")
KPIN4P626M	2040 x 626 x 35mm
KPIN4P726M	2040 x 726 x 35mm
KPIN4P826M	2040 x 826 x 35mm



Victorian 4 Panel Bi-Fold

Code	To suit door opening size
KPBF4P27	1981 x 686 x 35mm (27")
KPBF4P30	1981 x 762 x 35mm (30")



Victorian with Bluebell Glass

Code	Size
GKPVICB24	1981 x 610 x 35mm (24")
GKPVICB27	1981 x 686 x 35mm (27")
GKPVICB30	1981 x 762 x 35mm (30")
GKPVICB32	2032 x 813 x 35mm (32")
GKPVICB33	1981 x 838 x 35mm (33")
GKPVICB726	2040 x 726 x 40mm
GKPVICB826	2040 x 826 x 40mm



Victorian Bi-Fold with Bluebell Glass

Code	To suit door opening size
GKPBFB27	1981 x 686 x 35mm (27")
GKPBFB30	1981 x 762 x 35mm (30")



Colonial 6 Panel

Code	Size
KPIN6P21M**	1981 x 533 x 35mm (21")
KPIN6P24M	1981 x 610 x 35mm (24")
KPIN6P27M	1981 x 686 x 35mm (27")
KPIN6P28M	1981 x 711 x 35mm (28")
KPIN6P30M	1981 x 762 x 35mm (30")
KPIN6P32M	2032 x 813 x 35mm (32")
KPIN6P33M	1981 x 838 x 35mm (33")
KPIN6P626M	2040 x 626 x 35mm
KPIN6P726M	2040 x 726 x 35mm
KPIN6P826M	2040 x 826 x 35mm



Colonial 6 Panel Bi-Fold

Code	To suit door opening size
KPBF6P27	1981 x 686 x 35mm (27")
KPBF6P30	1981 x 762 x 35mm (30")



SA77 with Clear Glass

Code	Size
GKPCLSA27	1981 x 686 x 35mm (27")
GKPCLSA30	1981 x 762 x 35mm (30")
GKPCLSA32	2032 x 813 x 35mm (32")
GKPCLSA33	1981 x 838 x 35mm (33")



SA77 with Flemish Glass

Code	Size
GKPFLSA27	1981 x 686 x 35mm (27")
GKPFLSA30	1981 x 762 x 35mm (30")
GKPFLSA32	2032 x 813 x 35mm (32")
GKPFLSA33	1981 x 838 x 35mm (33")

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors

White Moulded

*3 Panel Configuration.



Colonist 6 Panel

Code	Size
WM6P18*	1981 x 457 x 35mm (18")
WM6P21	1981 x 533 x 35mm (21")
WM6P24	1981 x 610 x 35mm (24")
WM6P27	1981 x 686 x 35mm (27")
WM6P28	1981 x 711 x 35mm (28")
WM6P30	1981 x 762 x 35mm (30")
WM6P32	2032 x 813 x 35mm (32")
WM6P33	1981 x 838 x 35mm (33")
WM6P526	2040 x 526 x 40mm
WM6P626	2040 x 626 x 40mm
WM6P726	2040 x 726 x 40mm
WM6P826	2040 x 826 x 40mm



Pre-Finished Colonist 6 Panel

Code	Size
WMPF6P18*	1981 x 457 x 35mm (18")
WMPF6P21	1981 x 533 x 35mm (21")
WMPF6P24	1981 x 610 x 35mm (24")
WMPF6P27	1981 x 686 x 35mm (27")
WMPF6P30	1981 x 762 x 35mm (30")
WMPF6P32	2032 x 813 x 35mm (32")
WMPF6P33	1981 x 838 x 35mm (33")
WMPF6P726	2040 x 726 x 40mm
WMPF6P826	2040 x 826 x 40mm



Colonist 6 Panel Fire Door

Code	Size
WM6P27FD	1981 x 686 x 44mm (27")
WM6P30FD	1981 x 762 x 44mm (30")
WM6P32FD	2032 x 813 x 44mm (32")
WM6P33FD	1981 x 838 x 44mm (33")



Colonist 6 Panel Bi-Fold

Code	To suit door opening size
WMBF6P27	1981 x 686 x 35mm (27")
WMBF6P30	1981 x 762 x 35mm (30")



Victorian 4 Panel

Code	Size
WMVIC21	1981 x 533 x 35mm (21")
WMVIC24	1981 x 610 x 35mm (24")
WMVIC27	1981 x 686 x 35mm (27")
WMVIC28	1981 x 711 x 35mm (28")
WMVIC30	1981 x 762 x 35mm (30")
WMVIC32	2032 x 813 x 35mm (32")
WMVIC33	1981 x 838 x 35mm (33")
WMVIC626	2040 x 626 x 40mm
WMVIC726	2040 x 726 x 40mm
WMVIC826	2040 x 826 x 40mm



Victorian 4 Panel Fire Door

Code	Size
WMVIC27FD	1981 x 686 x 44mm (27")
WMVIC30FD	1981 x 762 x 44mm (30")
WMVIC32FD	2032 x 813 x 44mm (32")
WMVIC33FD	1981 x 838 x 44mm (33")



NEW Pre-Finished Victorian 4 Panel

Code	Size
WMPFVIC24	1981 x 610 x 35mm (24")
WMPFVIC27	1981 x 686 x 35mm (27")
WMPFVIC30	1981 x 762 x 35mm (30")
WMPFVIC33	1981 x 838 x 35mm (33")
WMPFVIC726	2040 x 726 x 40mm
WMPFVIC826	2040 x 826 x 40mm





Victorian with Forbes Glass

Code	Size
GWMVICF24	1981 x 610 x 35mm (24")
GWMVICF27	1981 x 686 x 35mm (27")
GWMVICF28	1981 x 711 x 35mm (28")
GWMVICF30	1981 x 762 x 35mm (30")
GWMVICF32	2032 x 813 x 35mm (32")
GWMVICF33	1981 x 838 x 35mm (33")
GWMVICF726	2040 x 726 x 40mm
GWMVICF826	2040 x 826 x 40mm



NEW Victorian with Clear Glass

Code	Size
GWMVICC27	1981 x 686 x 35mm (27")
GWMVICC30	1981 x 762 x 35mm (30")
GWMVICC33	1981 x 838 x 35mm (33")
GWMVICC726	2040 x 726 x 40mm
GWMVICC826	2040 x 826 x 40mm



Classique 2 Panel

Code	Size
WM2P18	1981 x 457 x 35mm (18")
WM2P21	1981 x 533 x 35mm (21")
WM2P24	1981 x 610 x 35mm (24")
WM2P27	1981 x 686 x 35mm (27")
WM2P28	1981 x 711 x 35mm (28")
WM2P30	1981 x 762 x 35mm (30")
WM2P32	2032 x 813 x 35mm (32")
WM2P33	1981 x 838 x 35mm (33")
WM2P626	2040 x 626 x 40mm
WM2P726	2040 x 726 x 40mm
WM2P826	2040 x 826 x 40mm



Classique 2 Panel Fire Door

Code	Size
WM2P27FD	1981 x 686 x 44mm (27")
WM2P30FD	1981 x 762 x 44mm (30")
WM2P32FD	2032 x 813 x 44mm (32")
WM2P33FD	1981 x 838 x 44mm (33")



Classique 6 Light with Bevelled Glass

Code	Size
GWM6L24	1981 x 610 x 35mm (24")
GWM6L27	1981 x 686 x 35mm (27")
GWM6L30	1981 x 762 x 35mm (30")
GWM6L32	2032 x 813 x 35mm (32")
GWM6L33	1981 x 838 x 35mm (33")
GWM6L726	2040 x 726 x 40mm
GWM6L826	2040 x 826 x 40mm



Sentinel 4 Panel

Code	Size
WM4P21	1981 x 533 x 35mm (21")
WM4P24	1981 x 610 x 35mm (24")
WM4P27	1981 x 686 x 35mm (27")
WM4P28	1981 x 711 x 35mm (28")
WM4P30	1981 x 762 x 35mm (30")
WM4P32	2032 x 813 x 35mm (32")
WM4P33	1981 x 838 x 35mm (33")
WM4P626	2040 x 626 x 40mm
WM4P726	2040 x 726 x 40mm
WM4P826	2040 x 826 x 40mm



Sentinel 4 Panel Fire Door

Code	Size
WM4P27FD	1981 x 686 x 44mm (27")
WM4P30FD	1981 x 762 x 44mm (30")
WM4P32FD	2032 x 813 x 44mm (32")
WM4P33FD	1981 x 838 x 44mm (33")



Pre-Finished Portobello Pair with Clear Glass

Code	Size
GWMFPOR46	1981 x 1168 x 35mm (46")

The centre of the lock block is approx 950mm from the bottom of the door and the overall height of the lock is approx 300mm. The lock block is located to each side of the door and extends approx 100mm in from the edge of the door.

All of our White Moulded doors are grained and come with a 1 Year Manufacturing Defect Guarantee.

Internal Doors Pine Easi-Frame

Our Easi-Frame system has been designed to provide a flexible range of room dividers, where numerous different configurations can be achieved. Simply choose the door pair you require; either Park Lane or SA77 and select the relevant side or demi-panels. Bi-fold configurations can also be created through using the side panels.



SA77 Pair with
2no demi panels



Park Lane Pair with Clear Glass

Code
GCPGTPPAR46
Size available
1981 x 1168 x 35mm (46")



Park Lane Demi Panel with Clear Glass

Code
GCPPARDP
Size available
1981 x 292 x 35mm



Park Lane Side Panel with Clear Glass

Code
GCPPARSP
Size available
1981 x 591 x 35mm



SA77 Pair with Clear Glass

Code
GCPGTPSA46
Size available
1981 x 1168 x 35mm (46")



SA77 Demi Panel with Clear Glass

Code
GCPSADP
Size available
1981 x 292 x 35mm



SA77 Side Panel with Clear Glass

Code
GCPSASP
Size available
1981 x 591 x 35mm

All Frames 135mm Deep	5' Frame	8' Frame
Maximum External Frame Size	2007mm x 1584mm	2007mm x 2512mm
Easi-Frame Product Examples	External Frame Widths	External Frame Widths
XL Door Pair	1218mm	—
Bi-Folded Panels	1236mm	—
XL Door Pair + 1 Side Panel	—	1856mm
XL Door Pair + 1 Demi Panel	1558mm	—
Bi-Folded Panels + 1 Side Panel	—	1874mm
Bi-Folded Panels + 1 Demi Panel	1576mm	—
Door Pair + 2 Side Panels	—	2494mm
Door Pair + 2 Demi Panels	—	1896mm
Door Pair + 1 Demi Panel + 1 Side Panel	—	2195mm
Bi-Folded Panels + 2 Side Panels	—	2512mm
Bi-Folded Panels + 2 Demi Panels	—	1904mm
Walkthroughs	1584mm	2512mm

5' Multi Purpose Pine Easi-Frame

Code
PINEASIF5

8' Multi Purpose Pine Easi-Frame

Code
PINEASIF8

Easi-Frame Bi-Fold Track Set

Code
EASIBFT



Pine Pairs are rebated on the meeting stile and open as illustrated above.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors Oak Easi-Frame

2no Worcester Glazed Doors With
2no Semi Panels (see page 27)

NEW



2no Shaker
4 Light Doors With
2no Demi Panels
(see page 17)

NEW

Pattern 10 Door With
2x0 Semi Panels
(see page 23)

Our new Oak Easi-Frame system provides the ultimate in flexibility for room divider design. Simply choose any internal Oak door from our range (either as a single 35mm door or two doors) and semi/demi panels to complement the door style.

Numerous configurations can be created to suit any home, for a full list of options and opening apertures required please visit our website www.xljoinery.co.uk

Product Description	Code	Size
Oak Easi-Frame Frame	OEASIF	Max size – 2017mm x 3000mm
Pattern 10 Demi Panel	GOSHAP1012C	1981 x 305 x 35mm (12")
Pattern 10 Semi Panel	GOSHAP1024C	1981 x 610 x 35mm (24")
Shaker 4 Light Demi Panel	GOSHA4L12C	1981 x 305 x 35mm (12")
Shaker 4 Light Semi Panel	GOSHA4L24C	1981 x 610 x 35mm (24")
Worcester Semi Panel	GOWOR24	1981 x 610 x 35mm (24")

Frames will need to be cut down on the height as well as width as allowances have been made for different types of floor coverings.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors

Oak Freefold



Add flexibility to your living environment with the Freefold door system.

Our freefold door system is available on any of our 24" oak doors.

Freefolds include: Oak veneered frame (head, jambs and stops), floor mounted guide, all hardware (except handles).

Our freefold door system is top-hung.

Recommended doors for the Freefold

(Doors need to be ordered separately)



Pattern 10 Oak Clear Glazed
(main image) or
Obscure Glass
(see page 23)



Pattern 10 Oak
(see page 23)



Shaker Oak Glazed - Obscure or Clear Glass
(see page 17)



Shaker Oak
(see page 17)



Worcester Oak Glazed
(see page 27)



Products are not handed therefore options are also available in their mirrored versions.

Product Description	Code	External Frame Size	Opening Configurations
Freefold 2	OFFOLD2	2090 x 1278 x 135mm	
Freefold 3	OFFOLD3	2090 x 1890 x 135mm	
Freefold 4	OFFOLD4	2090 x 2502 x 135mm	
Freefold 5	OFFOLD5	2090 x 3114 x 135mm	
Freefold 6	OFFOLD6	2090 x 3726 x 135mm	
Freefold 7	OFFOLD7	2090 x 4338 x 135mm	
Freefold 8	OFFOLD8	2090 x 4950 x 135mm	

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors White Freefold

NEW



Add flexibility to your living environment with the Freefold door system.

Our freefold door system is available on any of our 24" White primed doors.

Freefolds include: Pre-Finished White frame (head, jambs and stops), floor mounted guide, all hardware (except handles).

Our freefold door system is top-hung.

Recommended doors for the Freefold

(Doors need to be ordered separately)



**Pattern 10
Clear Glass**
(main image page 53) or
Obscure Glass
(see page 33)



Pattern 10
(see page 33)



**Shaker
Clear Glass**
(main image above)



Shaker
(see page 35)



**Worcester
Clear Glass**
(see page 37)

NEW



Products are not handed therefore options are also available in their mirrored versions.

Product Description	Code	External Frame Size	Opening Configurations
Freefold 2	WFFOLD2	2090 x 1278 x 135mm	
Freefold 3	WFFOLD3	2090 x 1890 x 135mm	
Freefold 4	WFFOLD4	2090 x 2502 x 135mm	
Freefold 5	WFFOLD5	2090 x 3114 x 135mm	
Freefold 6	WFFOLD6	2090 x 3726 x 135mm	
Freefold 7	WFFOLD7	2090 x 4338 x 135mm	
Freefold 8	WFFOLD8	2090 x 4950 x 135mm	

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Internal Doors

Hardwood and Oak Door Pairs

Oak Park Lane Pair





Hardwood Park Lane Pair with Clear Bevelled Glass

Code	Size
GXGTPPAR36	1981 x 915 x 40mm (36")
GXGTPPAR42	1981 x 1067 x 40mm (42")
GXGTPPAR46	1981 x 1168 x 40mm (46")
GXGTPPAR48	1981 x 1220 x 40mm (48")
GXGTPPAR54	1981 x 1372 x 40mm (54")
GXGTPPAR60	1981 x 1524 x 40mm (60")



Hardwood SA77 Pair with Clear Bevelled Glass

Code	Size
GXGTPSA36	1981 x 915 x 40mm (36")
GXGTPSA42	1981 x 1067 x 40mm (42")
GXGTPSA46	1981 x 1168 x 40mm (46")
GXGTPSA48	1981 x 1220 x 40mm (48")
GXGTPSA54	1981 x 1372 x 40mm (54")
GXGTPSA60	1981 x 1524 x 40mm (60")



Oak Park Lane Pair with Clear Bevelled Glass

Code	Size
GOPPAR46RM	1981 x 1168 x 40mm (46")
GOPPAR48RM	1981 x 1220 x 40mm (48")
GOPPAR54RM	1981 x 1372 x 40mm (54")
GOPPAR60RM	1981 x 1524 x 40mm (60")



Oak Shaker Pair with Clear Glass

Code	Size
GOPSHA4L46C	1981 x 1168 x 40mm (46")
GOPSHA4L48C	1981 x 1220 x 40mm (48")
GOPSHA4L54C	1981 x 1372 x 40mm (54")
GOPSHA4L60C	1981 x 1524 x 40mm (60")



Oak Pattern 10 Pair with Clear Glass

Code	Size
GOPP1046	1981 x 1168 x 40mm (46")
GOPP1048	1981 x 1220 x 40mm (48")
GOPP1054	1981 x 1372 x 40mm (54")
GOPP1060	1981 x 1524 x 40mm (60")



NEW Oak Worcester Pair with Clear Glass

Code	Size
GOPWOR54	1981 x 1372 x 40mm (54")
GOPWOR60	1981 x 1524 x 40mm (60")

All door pairs have matching internal doors to help create a harmonious look within the home.



Hardwood and Oak Pairs are rebated on the meeting stile and open as illustrated above.



In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.

Internal Doors Pair Makers

Oak Worcester with Clear Glass Doors
using the Oak Pair Maker



Our Pair Makers allow for the creation of a door pair with any of our internal doors. The new metric door pair gives the range added flexibility as it can be used on any Oak internal metric door within the range.

Product Description	Code	Size
Contemporary Oak Pair Maker	COAKPM	To suit 78" high doors only
Metric Oak Pair Maker	OAKPMMET	To suit metric sized doors only
Oak Pair Maker	OAKPM	To suit 78" high doors only
White Pair Maker	WHITEPM	To suit 78" high doors only
Hardwood Pair Maker	HWPM	To suit 78" high doors only
Pine Pair Maker	PINPM	To suit 78" high doors only

Clear Pine Shaker with Obscure Glass Doors
using the Pine Pair Maker



The Pair Maker can be fitted to either a left or right hand door.

For installation apertures add 10mm to the overall width of the two doors (not including clearance).



Pair maker is attached to the slave door and acts as a rebate to the other door.

High quality
factory finished
option available

A range of thermally
efficient doors to
meet the requirements
of Part L of the UK
Building Regulations

Engineered
construction for
greater stability
and performance

Toughened Glass for
enhanced safety

Selected natural
wood veneers reflect
the natural beauty
of timber (e.g. Oak,
Hardwood and Pine)

A range of
frame and
sidelight options
for non-standard
door openings

Sourced from
sustainably
managed forests

Doors available as
factory assembled
doorsets for easy
on site installation

WHAT MAKES A GREAT EXTERNAL DOOR?

The choice and finish of an external door can express as much about the individuality of the home and its owner as the architecture. After all it's the first and last thing you see and making a good first impression counts.

Ensuring the perfect blend of form and durable functionality is what we do best. Our designers and global sourcing team work hard to bring you the highest specification products at the most competitive prices.

As with our internal doors you'll find our external range offers superior features and performance. With this in mind you'll find a selection of features highlighted opposite. But if there's something more specific you need to know, please ask, we'd be delighted to help.

60 La Porte Vista Folding Doors	70 Residential Doorsets
62 La Porte Vista French Doors	72 Composite Doorsets
66 Advantages of an External Timber Doorset	74 Triple Glazed
67 How to install an External Timber Doorset	76 Oak
68 High Performance Doorsets	80 Hardwood Double Glazed
	82 Hardwood Single and Unglazed
	84 Pine and Pine Gates

All XL Joinery external doors which are specified with a certified or indicative U-Value can only achieve the stated U-Values when fitted as part of an XL Joinery Doorset. The U-Values can not be achieved when purchasing an external door which is unaccompanied by our Doorset.

All of the doors described as Oak or Hardwood within this catalogue are of engineered construction with high quality Oak or Hardwood veneer.

External Doors

La Porte Vista

NEW
SPECIFICATION
PRE-FINISHED

U-VALUE
1.8
W/m²K



La Porte Vista features include:

- // U-Values of 1.6W/m²K (White) and 1.8W/m²K (Oak)
- // Pre-finished in either White or Oak
- // All hardware included
- // Fitted with a multi-point locking system
- // External aluminium sill
- // FSC Certified
- // Toughened Low E-Argon filled double glazed units (24mm thick)
- // 54mm doors

Product Description	Code	External Frame Size	Brickwork Opening Required	Opening Configurations
Oak La Porte Vista 6'	PFLPOVISTA6	6' – 2098 x 1787mm	2108 x 1797mm	
Oak La Porte Vista 8'	PFLPOVISTA8	8' – 2098 x 2384mm	2108 x 2394mm	
Oak La Porte Vista Modular 1	PFLPOVISTAMOD4P	2098 x 3150mm	2108 x 3160mm	
Oak La Porte Vista Modular 2	PFLPOVISTAMOD5P	2098 x 3916mm	2108 x 3926mm	
Oak La Porte Vista Modular 3	PFLPOVISTAMOD6P	2098 x 4682mm	2108 x 4692mm	

NEW

U-VALUE
1.6
W/m²K

Product Description	Code	External Frame Size	Brickwork Opening Required	Opening Configurations
White La Porte Vista 6'	PFLPWVISTA6	6' – 2098 x 1787mm	2108 x 1797mm	
White La Porte Vista 8'	PFLPWVISTA8	8' – 2098 x 2384mm	2108 x 2394mm	
White La Porte Vista Modular 1	PFLPWVISTAMOD4P	2098 x 3150mm	2108 x 3160mm	
White La Porte Vista Modular 2	PFLPWVISTAMOD5P	2098 x 3916mm	2108 x 3926mm	
White La Porte Vista Modular 3	PFLPWVISTAMOD6P	2098 x 4682mm	2108 x 4692mm	

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



External Doors

La Porte French Doors

NEW

U-VALUE
1.5
W/m²K

La Porte French Doors features include:

- // 54mm thick doors
- // Fully finished (available in Oak or White) also available unfinished in Hardwood
- // All hardware and matching frame included
- // Choice of Chrome or Brass hardware available
- // U-Value 1.5W/m²K (White), 1.7W/m²K (Oak and Hardwood)
- // Toughened LOW-E Argon filled double glazed glass units (24mm thick)
- // Multipoint locking system for added security
- // Matching sidelights available in Oak
- // FSC Certified*.

Product Description	Code	External Frame Size	Approx Brickwork Dimensions
White Pre-Finished La Porte French Doorset 4'	PFWT4SET PFWT4SET-CH	4' - 2074 x 1190mm	2084 x 1200mm
White Pre-Finished La Porte French Doorset 5'	PFWT5SET PFWT5SET-CH	5' - 2074 x 1490mm	2084 x 1500mm
White Pre-Finished La Porte French Doorset 6'	PFWT6SET PFWT6SET-CH	6' - 2074 x 1790mm	2084 x 1800mm
Hardwood Unfinished La Porte French Doorset 4'	HWT4SET HWT4SET-CH	4' - 2074 x 1190mm	2084 x 1200mm
Hardwood Unfinished La Porte French Doorset 5'	HWT5SET HWT5SET-CH	5' - 2074 x 1490mm	2084 x 1500mm
Hardwood Unfinished La Porte French Doorset 6'	HWT6SET HWT6SET-CH	6' - 2074 x 1790mm	2084 x 1800mm

*Hardwood version is not FSC Certified.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



Hardwood La Porte
French Doors



U-VALUE
1.7
W/m²K

External Doors

La Porte French Doors

NEW
SPECIFICATION
PRE-FINISHED

U-VALUE
1.7
W/m²K



Oak La Porte French Doors

NEW



Oak La Porte
French Doors
with Sidelights

Product Description	Approx Brickwork Dimensions (max)	Configuration
La Porte French Doorset 4' and 1 Sidelight	2084 x 1830mm	
La Porte French Doorset 4' and 2 Sidelights	2084 x 2445mm	
La Porte French Doorset 5' and 1 Sidelight	2084 x 2130mm	

Product Description	Approx Brickwork Dimensions (max)	Configuration
La Porte French Doorset 5' and 2 Sidelights	2084 x 2755mm	
La Porte French Doorset 6' and 1 Sidelight	2084 x 2430mm	
La Porte French Doorset 6' and 2 Sidelights	2084 x 3055mm	

Product Description	Code	External Frame Size	Approx Brickwork Dimensions
Oak Pre-Finished La Porte French Doorset 4'	PFOT4SET PFOT4SET-CH	4' – 2074 x 1190mm	2084 x 1200mm
Oak Pre-Finished La Porte French Doorset 5'	PFOT5SET PFOT5SET-CH	5' – 2074 x 1490mm	2084 x 1500mm
Oak Pre-Finished La Porte French Doorset 6'	PFOT6SET PFOT6SET-CH	6' – 2074 x 1790mm	2084 x 1800mm
Oak Pre-Finished La Porte French Doorset 4' with Sidelight Frame	PFOT4SLESET PFOT4SLESET-CH	Sidelights to be ordered separately	
Oak Pre-Finished La Porte French Doorset 5' with Sidelight Frame	PFOT5SLESET PFOT5SLESET-CH	Sidelights to be ordered separately	
Oak Pre-Finished La Porte French Doorset 6' with Sidelight Frame	PFOT6SLESET PFOT6SLESET-CH	Sidelights to be ordered separately	
Oak Pre-Finished La Porte Sidelight	PFOTSL23	1953 x 590mm	—



In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.

Advantages of an External Timber Doorset

Oak Chancery with
Brass Caming
(See page 75)

Timber Doorset Features

- // Saves hours of joinery time when installing the product
- // Factory manufactured cut-outs for locks, handles, hinges and letter plates
- // Robust packaging - lessening the risk of damage (especially on site)
- // Choice of high security hardware
- // Full factory pre-finishing available.

Specification


All XL joinery Doorsets comply with:

- // BS6375 Part 1: Weather Tightness (when finished to XL's recommended pre-finishing standard)
- // Part L: A range of Part L compliant doors (please refer to individual doors within the catalogue)
- // Part M: Access to and use of buildings (only doors which are 32" and above)
- // Part N: Glazing.




How to install an External Timber Doorset

Our products are specifically designed with installation in mind. By following the steps below installation of one of our Doorsets should take no longer than half a day.




1




2

Remove packaging and inspect XL Doorset prior to installation



3

Remove existing Door/Frames



4

Remove the protruding horns from the head and the cill then treat the exposed edges with a high build external door stain




5

Place frame into opening



6

Ensure frame is square using a spirit level and fix the door to the wall using suitable frame fixers




7

Place door on the frame



8

Attach all hardware provided



9

Seal the gap between the frame and the surrounding structure



10


Doorset installation is complete

A full online video showing how to install an XL Joinery Doorset is available on our website. For details please visit www.xljoinery.co.uk


External Doors

High Performance Doorsets


Features include:




Shoot bolt



5 way Multi-Point Locking System



Security hinges




Vectis locking system for added security available in a choice of Chrome or Brass hardware




Stormguard trimline low threshold



Weather bar/rain deflector



Optional Letter plate (available in a choice of Chrome or Brass)



Our High Performance Doorsets are developed to meet the exacting standards of PAS23/24.

PAS23: includes testing to BS6375 Part 1 with respect to weather performance and also general performance requirements.

PAS24: tests the enhanced security performance of the door. This is a full blown attack on all parts of the door construction such as glazing, locks, joints and beads. The range also comes with a number of features highlighted on the page opposite.

PAS23/24 compliant doorsets



Suffolk Oak

(See page 79)

Code	Size
MTOSUF30	1981 x 762 x 44mm (30")
MTOSUF32	2032 x 813 x 44mm (32")
MTOSUF33	1981 x 838 x 44mm (33")



Chancery Oak with Brass Caming

(See page 75)

Code	Size
TGOCHAN30	1981 x 762 x 44mm (30")
TGOCHAN32	2032 x 813 x 44mm (32")
TGOCHAN33	1981 x 838 x 44mm (33")

The High Performance Doorset is also available on any XL Joinery external door for those wishing to upgrade from a standard Residential Doorset (Doorsets are not PAS23/24 compliant).



Modena Oak

(See page 77)

Code	Size
MTOMOD30	1981 x 762 x 44mm (30")
MTOMOD32	2032 x 813 x 44mm (32")
MTOMOD33	1981 x 838 x 44mm (33")



Turin Oak

(See page 77)

Code	Size
MTOTUR30DG	1981 x 762 x 44mm (30")
MTOTUR32DG	2032 x 813 x 44mm (32")
MTOTUR33DG	1981 x 838 x 44mm (33")



Siena Oak

(See page 77)

Code	Size
MTOSIE30DG	1981 x 762 x 44mm (30")
MTOSIE32DG	2032 x 813 x 44mm (32")
MTOSIE33DG	1981 x 838 x 44mm (33")



Westminster Oak

(See page 75)

Code	Size
TGOWEST30	1981 x 762 x 44mm (30")
TGOWEST32	2032 x 813 x 44mm (32")
TGOWEST33	1981 x 838 x 44mm (33")

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.




External Doors


Residential Doorsets

XL Joinery pre-hung Doorsets are the hassle free way of ordering and installing an external door. Doorsets are available on all of our external doors featured on pages 74 - 83 ensuring the ultimate in flexibility.

Doorset features include:



Security hinges




3 Way Multi-Point Locking System




Vectis locking system for added security available in a choice of Chrome or Brass hardware



Stormguard trimline low threshold



Weather bar/
rain deflector



Optional Letter plate
(available in a choice of Chrome or Brass)



Doorset Options

A Multipoint locking system (see opposite page for details)

B Nightlatch and British Standard Deadlock



C Contemporary

(Recommended on Turin, Siena, Modena, Suffolk and Padova)



Doorset Option

Product Description	Code
Brass: Multi-Point Lock with 2 Hook Mechanism	HWDSMP
Brass: Double Locking Nightlatch and 5 cylinder Mortice Deadlock	HWDSNLDB
Brass: Stable Double Locking Nightlatch and 5 cylinder Mortice Deadlock	HWDSSTA
Gold Anodized: Optional Letter Plate	HWDSLPL
Chrome: Multi-Point Lock with 2 Hook Mechanism	HWDSMP-CH
Chrome: Double Locking Nightlatch and 5 cylinder Mortice Deadlock	HWDSNLDB-CH
Chrome: Double Locking Nightlatch and 5 cylinder Mortice Deadlock with Barrel Handle	HWDSNLDBC-CH
Satin Anodized: Optional Letter Plate	HWDSLPL-CH
Chrome Double Locking Nightlatch and 5 Cylinder Mortice Deadlock with Barrel Handle (600mm length)	HWDSNLDBC-CH600
Chrome Double Locking Nightlatch and 5 Cylinder Mortice Deadlock with Barrel Handle (1200mm length)	HWDSNLDBC-CH1200

The above doorsets are available to suit 30, 32, 33, 34 and 36" doors.

Product Description	External Frame Dimensions	Brickwork Dimensions
For a 1981 x 762 x 44mm (30") door	850mm wide x 2067mm high	855mm wide x 2072mm high
For a 2032 x 813 x 44mm (32") door	901mm wide x 2118mm high	906mm wide x 2123mm high
For a 1981 x 838 x 44mm (33") door	926mm wide x 2067mm high	931mm wide x 2072mm high
For a 2082 x 864 x 44mm (34") door	952mm wide x 2168mm high	957mm wide x 2173mm high
For a 2134 x 915 x 44mm (36") door	1003mm wide x 2220mm high	1008mm wide x 2225mm high

For High Performance Doorsets add 5mm to the width of the brickwork dimensions.

High Performance Doorset Option

Product Description	External Frame Dimensions	To Suit Door Size
Gold Anodized 2 Hook 5 Point Locking Mechanism	HWDSMP30P-GA HWDSMP32P-GA HWDSMP33P-GA	1981 x 762 x 44mm (30") 2032 x 813 x 44mm (32") 1981 x 838 x 44mm (33")
Gold Anodized: Optional Letter Plate	HWDSLPL	
Satin Anodized 2 Hook 5 Point Locking Mechanism	HWDSMP30P-SA HWDSMP32P-SA HWDSMP33P-SA	1981 x 762 x 44mm (30") 2032 x 813 x 44mm (32") 1981 x 838 x 44mm (33")
Satin Anodized: Optional Letter Plate	HWDSLPL-CH	



External Doors


Composite Doorsets



1
Handle with a cylinder lock that has been designed to withstand bumping



2
3 way locking mechanism for enhanced security




3
Letterplate as standard (opens 180° to allow for convenient daily use)



4
3 way adjustable hinges



5
Aluminium low threshold



6
Matching frame as standard



Specification and Upgrades

Our standard specification reflects the most common option choices which include a white door (both sides), frame and cill with a Multi Point locking mechanism. Optional upgrades include different colours (see page 73) and the opportunity to upgrade the Doorset to Secured by Design status.



Colonial

Code
CDSCOL
U-Value
1.1W/m²K



Carolina with Obscure Glass

Code
CDSCAR
U-Value
1.1 – 1.6W/m²K



Stable 1 Light with Obscure Glass

Code
CDSSTA1L
U-Value
1.1 – 1.6W/m²K



Malton with Obscure Glass

Code
CDSMAL
U-Value
1.1 – 1.6W/m²K

Malton with Drydon Glass

Code
CDSDFY
U-Value
1.1 – 1.6W/m²K



2XG with Obscure Glass

Code
CDSXG
U-Value
1.1 – 1.6W/m²K

2XG with Coleridge Glass

Code
CDSCOLE
U-Value
1.1 – 1.6W/m²K



Winchester with Obscure Glass

Code
CDSWIN
U-Value
1.1 – 1.6W/m²K

Winchester with Bronte Glass

Code
CDSBRO
U-Value
1.1 – 1.6W/m²K



York with Obscure Glass

Code
CDSYOR
U-Value
1.1 – 1.6W/m²K

York with Milton Glass

Code
CDSMIL
U-Value
1.1 – 1.6W/m²K



Bedford with Obscure Glass

Code
CDSBED
U-Value
1.1 – 1.6W/m²K

Bedford with Yeats Glass

Code
CDSYEA
U-Value
1.1 – 1.6W/m²K



Holborn with Obscure Glass


Code
CDSHOLB
U-Value
1.1 – 1.6W/m²K

Holborn with Chatterton Glass

Code
CDSCHAT
U-Value
1.1 – 1.6W/m²K

Door colour options

(All colours available on the inside or outside of the door. Colour combinations can be mixed).



All Glazed Doors are Double Glazed.

External Doors Triple Glazed

Malton Diamond Oak with
matching Bevelled Side Lights



Oak Balmoral Jade with Black Caming

U-Value 2.9W/m²K (M&T)

Code	Size
TGOBALM30	1981 x 762 x 44mm (30")
TGOBALM32	2032 x 813 x 44mm (32")
TGOBALM33	1981 x 838 x 44mm (33")
TGOBALM34	2082 x 864 x 44mm (34")
TGOBALM36	2134 x 915 x 44mm (36")



Oak Malton Diamond with Black Caming

U-Value 2.9W/m²K (M&T)

Code	Size
TGOMALT30	1981 x 762 x 44mm (30")
TGOMALT32	2032 x 813 x 44mm (32")
TGOMALT33	1981 x 838 x 44mm (33")

Bevelled Sidelight with Black Caming

Indicative U-Value 2.4W/m²K (Dowelled)

Code	Size
TGOSLB23	2032 x 584 x 44mm (23")

Side Light width can be trimmed by up to 120mm in total (trim equal amounts from each side). Height can be reduced by 50mm from the bottom only.

*See main image for Side Light.


Side Light frame pack available – see page 89.



**Oak Chancery Onyx
with Brass Caming**

U-Value 2.9W/m²K (M&T)

Code	Size
TGOCHAN30	1981 x 762 x 44mm (30")
TGOCHAN32	2032 x 813 x 44mm (32")
TGOCHAN33	1981 x 838 x 44mm (33")
TGOCHAN34	2082 x 864 x 44mm (34")
TGOCHAN36	2134 x 915 x 44mm (36")



**Oak Chancery Stable
with Brass Caming**

U-Value 3.0W/m²K (Dowelled)

Code	Size
TGOSTAC30	1981 x 762 x 44mm (30")
TGOSTAC32	2032 x 813 x 44mm (32")
TGOSTAC33	1981 x 838 x 44mm (33")



**Oak Chancery
with Black Caming**

U-Value 2.9W/m²K (M&T)

Code	Size
TGOBLCHAN30	1981 x 762 x 44mm (30")
TGOBLCHAN32	2032 x 813 x 44mm (32")
TGOBLCHAN33	1981 x 838 x 44mm (33")



**Oak Westminster
with Black Caming**

U-Value 2.9W/m²K (M&T)

Code	Size
TGOWEST30	1981 x 762 x 44mm (30")
TGOWEST32	2032 x 813 x 44mm (32")
TGOWEST33	1981 x 838 x 44mm (33")
TGOWEST34	2082 x 864 x 44mm (34")
TGOWEST36	2134 x 915 x 44mm (36")



*Oak Chancery Onyx
with Brass Caming*



**Maryland
4 Light with Zinc Caming**

U-Value 2.9W/m²K (M&T)

Code	Size
TGOMAR30	1981 x 762 x 44mm (30")
TGOMAR32	2032 x 813 x 44mm (32")
TGOMAR33	1981 x 838 x 44mm (33")

Products highlighted in red indicate new sizes available.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



External Doors
Oak

twenty
four

Modena with
Pattern 10 Sidelight





**Turin
with Obscure Glass**

Indicative U-Value 2.4W/m²K (M&T)

Code	Size
MTOTUR30DG	1981 x 762 x 44mm (30")
MTOTUR32DG	2032 x 813 x 44mm (32")
MTOTUR33DG	1981 x 838 x 44mm (33")
MTOTUR34DG	2082 x 864 x 44mm (34")
MTOTUR36DG	2134 x 915 x 44mm (36")



**Siena
with Obscure Glass**

Indicative U-Value 2.6W/m²K (M&T)

Code	Size
MTOSIE30DG	1981 x 762 x 44mm (30")
MTOSIE32DG	2032 x 813 x 44mm (32")
MTOSIE33DG	1981 x 838 x 44mm (33")



Modena

Indicative U-Value 2.2W/m²K (M&T)

Code	Size
MTOMOD30	1981 x 762 x 44mm (30")
MTOMOD32	2032 x 813 x 44mm (32")
MTOMOD33	1981 x 838 x 44mm (33")



**Modena
with Obscure Glass**

Indicative U-Value 2.4W/m²K (M&T)

Code	Size
DGOMOD30	1981 x 762 x 44mm (30")
DGOMOD32	2032 x 813 x 44mm (32")
DGOMOD33	1981 x 838 x 44mm (33")



**Padova
with Obscure Glass**

Indicative U-Value 2.4W/m²K (M&T)

Code	Size
MTOPAD30DG	1981 x 762 x 44mm (30")
MTOPAD32DG	2032 x 813 x 44mm (32")
MTOPAD33DG	1981 x 838 x 44mm (33")



**Pattern 10 Side Light
with Obscure Glass**

Indicative U-Value 1.8W/m²K (Dowelled)

Code	Size
DGOP10SL23	2032 x 584 x 44mm (23")



Products highlighted in red indicate new sizes available.

All Glazed Doors are Double Glazed.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



External Doors

Oak

Pattern 10 with
Clear Glass





Suffolk

Indicative U-Value 3.0W/m²K (M&T)

Code	Size
MTOSUF30	1981 x 762 x 44mm (30")
MTOSUF32	2032 x 813 x 44mm (32")
MTOSUF33	1981 x 838 x 44mm (33")
MTOSUF34	2082 x 864 x 44mm (34")
MTOSUF36	2134 x 915 x 44mm (36")



Trieste with Obscure Glass

Indicative U-Value 2.4W/m²K (M&T)

Code	Size
MTOTRI30DG	1981 x 762 x 44mm (30")
MTOTRI32DG	2032 x 813 x 44mm (32")
MTOTRI33DG	1981 x 838 x 44mm (33")



Dalston with Obscure Glass

Indicative U-Value 2.8W/m²K (Dowelled)

Code	Size
DGODAL30-44	1981 x 762 x 44mm (30")
DGODAL32-44	2032 x 813 x 44mm (32")
DGODAL33-44	1981 x 838 x 44mm (33")



Pattern 10 with Clear Glass

Indicative U-Value 1.8W/m²K (Dowelled)

Code	Size
DGOP1030-44	1981 x 762 x 44mm (30")
DGOP1032-44	2032 x 813 x 44mm (32")
DGOP1033-44	1981 x 838 x 44mm (33")



2XG with Clear Glass

Indicative U-Value 1.8W/m²K (Dowelled)

Code	Size
DGOXG30-44	1981 x 762 x 44mm (30")
DGOXG32-44	2032 x 813 x 44mm (32")
DGOXG33-44	1981 x 838 x 44mm (33")



NEW Stable 9 Light with Clear Glass

Indicative U-Value 2.6W/m²K (Dowelled)

Code	Size
DGOSTA6L30	1981 x 762 x 44mm (30")
DGOSTA6L32	2032 x 813 x 44mm (32")
DGOSTA6L33	1981 x 838 x 44mm (33")



Products highlighted in red indicate new sizes available.

All Glazed Doors are Double Glazed.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



External Doors

Hardwood Double Glazed



2x6 Coleridge



Acacia Chesterton Double Glazed

Indicative U-Value 2.6W/m²K

Dowelled Code

CHES30-44DG
CHES32-44DG
CHES33-44DG

Size

1981 x 762 x 44mm (30")
2032 x 813 x 44mm (32")
1981 x 838 x 44mm (33")



Richmond Donne Double Glazed

Indicative U-Value 2.6W/m²K

Dowelled Code

DON30-44DG
DON32-44DG
DON33-44DG

Size

1981 x 762 x 44mm (30")
2032 x 813 x 44mm (32")
1981 x 838 x 44mm (33")

M&T Code

MTDON30DG
MTDON32DG
MTDON33DG

1981 x 762 x 44mm (30")
2032 x 813 x 44mm (32")
1981 x 838 x 44mm (33")



Malton Drydon Double Glazed

Indicative U-Value 2.6W/m²K

Dowelled Code

DRY30-44DG
DRY32-44DG
DRY33-44DG

Size

1981 x 762 x 44mm (30")
2032 x 813 x 44mm (32")
1981 x 838 x 44mm (33")

M&T Code

MTDRY30DG
MTDRY32DG
MTDRY33DG

1981 x 762 x 44mm (30")
2032 x 813 x 44mm (32")
1981 x 838 x 44mm (33")



2XG Coleridge Double Glazed

Indicative U-Value 2.6W/m²K

Dowelled Code

COLE30-44DG
COLE32-44DG
COLE33-44DG

Size

1981 x 762 x 44mm (30")
2032 x 813 x 44mm (32")
1981 x 838 x 44mm (33")

M&T Code

MTCOLE30DG
MTCOLE32DG
MTCOLE33DG

1981 x 762 x 44mm (30")
2032 x 813 x 44mm (32")
1981 x 838 x 44mm (33")



In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.

External Doors

Hardwood Single and Unglazed



Acacia Unglazed

Dowelled Code	Size
ACA30-44	1981 x 762 x 44mm (30")
ACA32-44	2032 x 813 x 44mm (32")
ACA33-44	1981 x 838 x 44mm (33")
ACA34-44	2082 x 864 x 44mm (34")
ACA36-44	2134 x 915 x 44mm (36")



Acacia with Byron Glass

Indicative U-Value 3.0W/m²K

Dowelled Code	Size
BYR30-44	1981 x 762 x 44mm (30")
BYR32-44	2032 x 813 x 44mm (32")
BYR33-44	1981 x 838 x 44mm (33")
BYR34-44	2082 x 864 x 44mm (34")
BYR36-44	2134 x 915 x 44mm (36")

M&T Code	Size
MTBYR30	1981 x 762 x 44mm (30")
MTBYR32	2032 x 813 x 44mm (32")
MTBYR33	1981 x 838 x 44mm (33")



Malton Unglazed

Dowelled Code	Size
MAL30-44	1981 x 762 x 44mm (30")
MAL32-44	2032 x 813 x 44mm (32")
MAL33-44	1981 x 838 x 44mm (33")
MAL34-44	2082 x 864 x 44mm (34")
MAL36-44	2134 x 915 x 44mm (36")

M&T Code	Size
MTMAL30	1981 x 762 x 44mm (30")
MTMAL32	2032 x 813 x 44mm (32")
MTMAL33	1981 x 838 x 44mm (33")



Malton with Burns Glass

Indicative U-Value 3.9W/m²K

Dowelled Code	Size
BUR30-44	1981 x 762 x 44mm (30")
BUR32-44	2032 x 813 x 44mm (32")
BUR33-44	1981 x 838 x 44mm (33")
BUR34-44	2082 x 864 x 44mm (34")
BUR36-44	2134 x 915 x 44mm (36")

M&T Code	Size
MTBUR30	1981 x 762 x 44mm (30")
MTBUR32	2032 x 813 x 44mm (32")
MTBUR33	1981 x 838 x 44mm (33")



Richmond Unglazed

Dowelled Code	Size
RIC30-44	1981 x 762 x 44mm (30")
RIC32-44	2032 x 813 x 44mm (32")
RIC33-44	1981 x 838 x 44mm (33")
RIC34-44	2082 x 864 x 44mm (34")
RIC36-44	2134 x 915 x 44mm (36")

M&T Code	Size
MTRIC30	1981 x 762 x 44mm (30")
MTRIC32	2032 x 813 x 44mm (32")
MTRIC33	1981 x 838 x 44mm (33")



Richmond with Keats Glass

Indicative U-Value 3.9W/m²K

Dowelled Code	Size
KEA30-44	1981 x 762 x 44mm (30")
KEA32-44	2032 x 813 x 44mm (32")
KEA33-44	1981 x 838 x 44mm (33")

M&T Code	Size
MTKEA30	1981 x 762 x 44mm (30")
MTKEA32	2032 x 813 x 44mm (32")
MTKEA33	1981 x 838 x 44mm (33")



2XG Unglazed

Dowelled Code	Size
XG30-44	1981 x 762 x 44mm (30")
XG32-44	2032 x 813 x 44mm (32")
XG33-44	1981 x 838 x 44mm (33")

M&T Code	Size
MTXG2P30	1981 x 762 x 44mm (30")
MTXG2P32	2032 x 813 x 44mm (32")
MTXG2P33	1981 x 838 x 44mm (33")



2XG with Carroll Glass

Indicative U-Value 3.9W/m²K

Dowelled Code	Size
CARXG30-44	1981 x 762 x 44mm (30")
CARXG32-44	2032 x 813 x 44mm (32")
CARXG33-44	1981 x 838 x 44mm (33")

M&T Code	Size
MTCARXG30	1981 x 762 x 44mm (30")
MTCARXG32	2032 x 813 x 44mm (32")
MTCARXG33	1981 x 838 x 44mm (33")



Colonial 6 Panel

Indicative U-Value 3.0W/m²K

Dowelled Code	Size
COL30-44	1981 x 762 x 44mm (30")
COL32-44	2032 x 813 x 44mm (32")
COL33-44	1981 x 838 x 44mm (33")
COL34-44	2082 x 864 x 44mm (34")
COL36-44	2134 x 915 x 44mm (36")

M&T Code	Size
MTCOL30	1981 x 762 x 44mm (30")
MTCOL32	2032 x 813 x 44mm (32")
MTCOL33	1981 x 838 x 44mm (33")
MTCOL34	2082 x 864 x 44mm (34")
MTCOL36	2134 x 915 x 44mm (36")



London 4 Panel

Indicative U-Value 3.0W/m²K

Dowelled Code	Size
LON30-44	1981 x 762 x 44mm (30")
LON32-44	2032 x 813 x 44mm (32")
LON33-44	1981 x 838 x 44mm (33")



Carolina Unglazed

Dowelled Code	Size
CAR30-44	1981 x 762 x 44mm (30")
CAR32-44	2032 x 813 x 44mm (32")
CAR33-44	1981 x 838 x 44mm (33")
CAR34-44	2082 x 864 x 44mm (34")
CAR36-44	2134 x 915 x 44mm (36")

M&T Code	Size
MTCAR30	1981 x 762 x 44mm (30")
MTCAR32	2032 x 813 x 44mm (32")
MTCAR33	1981 x 838 x 44mm (33")
MTCAR34	2082 x 864 x 44mm (34")
MTCAR36	2134 x 915 x 44mm (36")



York Unglazed

Dowelled Code	Size
YOR30-44	1981 x 762 x 44mm (30")
YOR32-44	2032 x 813 x 44mm (32")
YOR33-44	1981 x 838 x 44mm (33")



Stable 1 Light Unglazed

Dowelled Code	Size
STA1L30-44	1981 x 762 x 44mm (30")
STA1L32-44	2032 x 813 x 44mm (32")
STA1L33-44	1981 x 838 x 44mm (33")



NEW Stable 9 Light with Clear Glass

Indicative U-Value 4.2W/m²K

Dowelled Code	Size
STA9L30-44C	1981 x 762 x 44mm (30")
STA9L32-44C	2032 x 813 x 44mm (32")
STA9L33-44C	1981 x 838 x 44mm (33")



Products highlighted in red indicate new sizes available.

In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



External Doors Pine and Pine Gates



*Pine 2XG with
Flemish Glass*



NEW **Pre-Finished Pattern 10 with Clear Glass**
 Indicative U-Value 1.8W/m²K (Dowelled)

Code	Size
PFDGWPP1030-44	1981 x 762 x 44mm (30")
PFDGWPP1032-44	2032 x 813 x 44mm (32")
PFDGWPP1033-44	1981 x 838 x 44mm (33")



2XG with Clear Glass
 Indicative U-Value 1.8W/m²K (Dowelled)

Code	Size
PCGXG30	1981 x 762 x 44mm (30")
PCGXG32	2032 x 813 x 44mm (32")
PCGXG33	1981 x 838 x 44mm (33")



2XG with Flemish Glass
 Indicative U-Value 3.9W/m²K (Dowelled)

Code	Size
PFGXG30	1981 x 762 x 44mm (30")
PFGXG32	2032 x 813 x 44mm (32")
PFGXG33	1981 x 838 x 44mm (33")



Malton with Flemish Glass
 Indicative U-Value 3.9W/m²K (Dowelled)

Code	Size
PFGMAL30	1981 x 762 x 44mm (30")
PFGMAL32	2032 x 813 x 44mm (32")
PFGMAL33	1981 x 838 x 44mm (33")



Stable 1 Light with Clear Glass
 Indicative U-Value 3.9W/m²K (Dowelled)

Code	Size
PGSTA1L30	1981 x 762 x 44mm (30")
PGSTA1L32	2032 x 813 x 44mm (32")
PGSTA1L33	1981 x 838 x 44mm (33")



Ledged and Braced Gate

Code	Size
LB27	1981 x 686mm (27")
LB30	1981 x 762mm (30")
LB33	1981 x 838mm (33")



Framed Ledged and Braced Gate

Code	Size
FLB30	1981 x 762mm (30")
FLB33	1981 x 838mm (33")



Arch Top Gate

Code	Size
GATE30A	1981 x 762mm (30")
GATE36A	1981 x 915mm (36")

Ledged and Braced, Framed Ledged and Braced and Arch Top Gates all come with a 1 year guarantee. In the interest of environmental concerns and improved performance, products contain engineered timber components including laminated timber, MDF or Particleboard.



All Doors Pre-Finishing

Having your doors professionally finished adds the finishing touch. It's also one less thing to worry about, that's why we offer a pre-finishing service on all our internal and external doors.

Internal Doors

All our internal doors are finished using professional coatings. This provides an aesthetically pleasing and durable solution. All doors come with a clear stain to enhance the natural look of the timber with the exception of hardwood doors which are supplied with a rich mahogany finish.

External Doors

Sikkens stain and paint are used for pre-finishing our external doors. This gives the product a durable finish that enhances the look of the door. All oak doors come with a light oak stain and all hardwood doors are supplied with a rich mahogany finish. Both oak and hardwood doors are also available in a red, blue or green finish.




Oak Verona
with Obscure Glass
(See page 21)



Hardwood Acacia
with Chesterton Glass
(See page 81)

Wood Stain (External doors only, excluding pine doors)



Light Oak



Mahogany

Product Description	Code	Application
Panelled Door (external)	PFEDOORS	3 Coat Stain System
Panelled Doorset	PFDSETS	3 Coat Stain System
Glazed Door (external)	GPFDOORS	3 Coat Stain System
Glazed Doorset	GPFDSETS	3 Coat Stain System
Internal Door	PFIDOORS	3 Coat Stain System
French Doorset	PFLPOS	3 Coat Stain System
La Porte Vista Folding Doors	PFLPVISTS	3 Coat Stain System

Wood Paint (External doors only, excluding pine doors)



3001 RAL
Signal Red



5001 RAL
Signal Blue



6029 RAL
Mint Green

Product Description	Code	Application
Panelled Door (external)	PFDOORP	3 Coat Stain System
Panelled Doorset	PFDSETP	3 Coat Stain System
Glazed Door (external)	GPFDOORP	3 Coat Stain System
Glazed Doorset	GPFDSETP	3 Coat Stain System

Please maintain regular treatment and care of pre-finished doors. For more advice on treatment and care please visit our website www.xjoinery.co.uk

Failure to maintain/replenish the finish can invalidate the guarantee.

We do not recommend the use of clear woodstain on external doors as they give the door less UV protection than other coloured stains.

All Doors

Performance and Specification

At XL we realise the importance of product specification and dedicate a lot of time and effort to ensuring the products we offer are products that will stand up to the rigours of everyday life.

But don't just take our word for it. Many of our products have been assessed and certified by independent testing organisations and have consistently scored highly as a result.

Our products are integrated into our quality management system which is BSI accredited ISO 9001:2008. Peace of mind for our customers as they know every product they buy has been manufactured to the same exacting standards.

We are also passionate about the environment with the majority of our range being FSC approved and all of our range being source from sustainably managed forests. Our ISO 14001 certification is testament to our dedication on environmental issues.



ISO 9001
ISO 14001

Internal Doors Accessories

Add the finishing touch...

Architrave

Skirting

Door Linings

Product Description	Code	Overall Frame Dimensions
Oak Veneered Door Architrave Set (Ogee Profile)	OARSET-OG	18 x 70 x 2133mm (5 x 2133mm)
Oak Veneered Door Pair Architrave Set (Ogee Profile)	OARSETPR-OG	18 x 70 x 2133mm (6 x 2133mm)
Oak Veneered Door Lining Set (108mm)	ODL108	Ex 108mm (w) x 22mm (d) (6 pieces)
Oak Veneered Door Lining Set (133mm)	ODL133	Ex 133mm (w) x 22mm (d) (6 pieces)
Oak Veneered Door Pair Lining Set (133mm)	ODL133PR	Ex 133mm (w) x 22mm (d) (6 pieces)
Oak Veneered Skirting Set (Ogee Profile)	OSKSET-OG	18 x 145 x 3000mm (5 pieces)

Product Description	Code	Overall Frame Dimensions
Walnut Door Lining Set (108mm)	WDL108	Ex 108mm (w) x 22mm (d) (6 pieces)
Walnut Door Lining Set (133mm)	WDL133	Ex 133mm (w) x 22mm (d) (6 pieces)
Oak Architrave (modern profile)	OARSET-RD	18 x 70 x 2133mm (5 pieces)
Oak Skirting (modern profile)	OSKSET-RD	18 x 120 x 3000mm (5 pieces)
Walnut Architrave (modern profile)	WARSET-RD	18 x 70 x 2133mm (5 pieces)
Walnut Skirting (modern profile)	WSKSET-RD	18 x 120 x 3000mm (5 pieces)


External Doors Accessories



Oak Effect External Door Frame

(also available in Hardwood)

Product Description	Code	Overall Frame Dimensions
Side Light Frame Kit (78" High)	SLFR78	2067mm high x 2179mm wide
Side Light Frame Kit (80" High)	SLFR80	2118mm high x 2179mm wide
Oak Effect Side Light Frame Kit (78" High)	OSLFR78	2067mm high x 2179mm wide
Oak Effect Side Light Frame Kit (80" High)	OSLFR80	2118mm high x 2179mm wide
Hardwood Door Frame	DFC30	2067 x 850mm
Hardwood Door Frame	DFC32	2118 x 901mm
Hardwood Door Frame	DFC33	2067 x 926mm
Hardwood Door Frame	DFC34	2168 x 952mm
Hardwood Door Frame	DFC36	2220 x 1003mm
Hardwood Door Frame	DFC42	2067 x 1155mm
Hardwood Door Frame	DFC46	2067 x 1256mm
Hardwood Door Frame	DFC48	2067 x 1308mm
Hardwood Door Frame	DFC54	2067 x 1460mm
Hardwood Door Frame	DFC60	2067 x 1612mm
Hardwood Door Frame	DFC78X36	2067 x 1003mm



Oak Effect Sidelight Frame Kit

(also available in Hardwood)

Product Description	Code	Overall Frame Dimensions
Hardwood Door Frame	ODFC30	2067 x 850mm
Hardwood Door Frame	ODFC32	2118 x 901mm
Hardwood Door Frame	ODFC33	2067 x 926mm
Oak Effect Door Frame	ODFC34	2168 x 952mm
Oak Effect Door Frame	ODFC36	2220 x 1003mm
Oak Effect Door Frame	ODFC46	2067 x 1255mm
Oak Effect Door Frame	ODFC48	2067 x 1308mm
Oak Effect Door Frame	ODFC54	2067 x 1460mm
Oak Effect Door Frame	ODFC60	2067 x 1612mm
Softwood Door Lining	DFCINT115	Ex 115mm (h) x 27mm (d)
Softwood Door Lining	DFCINT138	Ex 138mm (h) x 27mm (d)
Oak Effect Weather Bar	OWBARS	915mm (36") (packs of 12)
Hardwood Weather Bar	W/BARS	915mm (36") (packs of 30)
Weather Strip - 6m Length	WSTRIP	To suit all sized door frames up to 6m long

Other Products

Plastics and PVC

Plastic Sheeting

Product Description	Code	Size
Crysta-Glas Clear Plastic Sheets	2MM42	1220 x 610 x 2mm (4' x 2')
Lightweight Flatsheets (sold in packs of 10)	2MM43	1220 x 915 x 2mm (4' x 3')
	2MM44	1220 x 1220 x 2mm (4' x 4')
	2MM62	1830 x 610 x 2mm (6' x 2')
	2MM63	1830 x 915 x 2mm (6' x 3')
Crysta-Glas Clear Plastic Sheets	2MM64	1830 x 1220 x 2mm (6' x 4')
Lightweight Flatsheets (sold in packs of 5)	2MM84	2440 x 1220 x 2mm (8' x 4')

Product Description	Code	Size
Crysta-Glas Clear Plastic Sheets	4MM42	1220 x 610 x 4mm (4' x 2')
Heavyweight Flatsheets (sold in packs of 5)	4MM43	1220 x 915 x 4mm (4' x 3')
	4MM44	1220 x 1220 x 4mm (4' x 4')
	4MM62	1830 x 610 x 4mm (6' x 2')
	4MM63	1830 x 915 x 4mm (6' x 3')
	4MM64	1830 x 1220 x 4mm (6' x 4')
	4MM84	2440 x 1220 x 4mm (8' x 4')

PVC

Product Description	Code	Size
Starbrite PVC Lightweight Clear Corrugated Sheets (sold in packs of 10)	3LWT6	6' (1829mm) x 762 x 0.8mm
	3LWT8	8' (2438mm) x 762 x 0.8mm
	3LWT10	10' (3048mm) x 762 x 0.8mm
Starbrite PVC Heavyweight Clear Corrugated Sheets (sold in packs of 10)	3HWT6	6' (1829mm) x 762 x 1.1mm
	3HWT7	7' (2134mm) x 762 x 1.1mm
	3HWT8	8' (2438mm) x 762 x 1.1mm
	3HWT10	10' (3048mm) x 762 x 1.1mm
	3HWT12	12' (3658mm) x 762 x 1.1mm
Neoprene Eaves Filler 75mm (3") (10 per outer)	3EAVES	10 x per pack (for 10 sheets)
Starbrite PVC Flashing 75mm	3FLASH	1 x per pack (for 1 sheet)
Starbrite PVC Ridge Piece	3RIDGE	1 x per pack (for 1 sheet)
Starbrite PVC Packet of Screws and Spacers (3") 50 packs (10) per outer	3SCREWS	1 pack per 6" sheet

Product Description	Code	Size
Starbrite PVC 'Mini' Translucent Corrugated Sheets (0.8mm thick) sold in packs of 10	MINITR6	6' (1829 x 658mm)
	MINITR8	8' (2438 x 658mm)
Starriest PVC 'Mini' Clear Corrugated Sheets (0.8mm thick) sold in packs of 10	MINIGC6	6' (1829 x 658mm)
	MINIGC8	8' (2438 x 658mm)
Neoprene 'Mini' Eaves Filler (10 per outer)	MINIEAVES	10 x per pack (for 10 sheets)
Flashing 'Mini'	MINIFLASH	1 x per pack (for 1 sheet)
Mini Nails and Washers (100 per outer)	MININW	1 pack per 6" sheet



To view our range of High Performance Energy Efficient Timber Windows please download the catalogue from our website www.xljoinery.co.uk or call a member of our Sales Team.

Customer service and support

Our experienced internal sales team cover the whole of the UK and are available to answer any questions you may have. A proactive approach ensures trade customers are kept up to date with promotional offers and new products on a weekly basis.

In addition, our Area Sales Managers ensure trade customers get the support they need with products and services via our Branch Development Programme. This includes help and advice on product ranges and display options and is tailored to suit your business.

After sales support

We want customers to be absolutely delighted with our products. If a problem arises we don't believe you should be inconvenienced, that's why we employ a team of after sales professionals to deal with any issues. Our team will conduct a site visit then prepare and submit a report to our trade customers so they can notify their customer of the action to be taken. It takes the hassle away and people like that.

Technical support

Our technical helpline is available from 9.00am to 5.00pm, 7 days a week to answer questions you may have. Call us on 07000 785571.

Products when you need them

We don't believe our customers should have to wait weeks for their products to be delivered. That's why we hold over three million pounds worth of stock in our 110,000 square foot warehouse for delivery anywhere in the UK by our own fleet and drivers. The right products when and where you need them, just as it should be.

Quality

It's fair to say we're pretty obsessive about quality at XL. We have to be, as the quality of the products we supply are critical to our business. Our ISO 9001 certification is testament to this and proof of our consistent approach to business.

Every product is inspected by our technical team prior to dispatch to the customer and our supply base is monitored constantly to ensure products are manufactured to our exacting standards. It means our quality levels are amongst the best in the industry providing peace of mind for you the customer.

Guarantees

We offer comprehensive guarantees on all the products we supply.

- // 10 years on all external and internal timber doors
- // 1 year on our white moulded ranges, frames, gates and weather bars
- // 5 years on our plastic sheeting.

For further details of our guarantees please visit our website at: www.xljoinery.co.uk

Environment

At XL we recognise the importance of operating in an environmentally friendly manner. That's why we hold our own FSC Chain of Custody Certification (SA-COC-1476) and only procure products from carefully managed, sustainable sources. You'll find the majority of products within this catalogue are FSC certified. We are also ISO 14001 accredited which is testament that we truly operate in an environmentally friendly manner within all aspects of our business.

XL Joinery Limited, Bradford Road,
Batley, West Yorkshire WF17 8NE

Sales

Phone. +44 (0)1924 350500

Fax. +44 (0)1924 350525

Email. sales@xljoinery.co.uk

Low Cost Sales

Phone. 0845 2303300 (from UK landlines only)

Administration

Phone. +44 (0)1924 350501

Fax. +44 (0)1924 350526

Email. mail@xljoinery.co.uk

Technical Helpline

Phone. 07000 785571

www.xljoinery.co.uk

We reserve the right to alter specifications without prior notice.

Our Installation Treatment and Care Instructions and Customer Care Policy can be viewed on the XL Joinery Website – please visit www.xljoinery.co.uk

The colours in this brochure are reproduced digitally and are printed as accurately as current technology will allow. All errors and omissions excepted. All sizes are nominal and subject to normal trade tolerances.

Designed and produced by Whitespace
www.white-space.co.uk

